

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW080419\
 Data File : VW011685.D
 Acq On : 04 Aug 2019 01:39
 Operator : SY/VA
 Sample : K4135-13
 Misc : 5.45G/5ML/MSVOA W/SOIL
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 1S-B2-(0-1)

Quant Time: Aug 05 01:14:29 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W072719S.M
 Quant Title : SW846 8260
 QLast Update : Sat Jul 27 00:23:30 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	210294	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	356570	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	298433	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.56	152	119896	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.31	65	133916	55.46	ug/l	0.00
Spiked Amount	50.000		Recovery	=	110.92%	
35) Dibromofluoromethane	7.88	113	105971	52.97	ug/l	0.00
Spiked Amount	50.000		Recovery	=	105.94%	
50) Toluene-d8	10.32	98	393414	48.03	ug/l	0.00
Spiked Amount	50.000		Recovery	=	96.06%	
62) 4-Bromofluorobenzene	12.62	95	127513	43.67	ug/l	0.00
Spiked Amount	50.000		Recovery	=	87.34%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW080419\
Data File : VW011685.D
Acq On : 04 Aug 2019 01:39
Operator : SY/VA
Sample : K4135-13
Misc : 5.45G/5ML/MSVOA W/SOIL
ALS Vial : 35 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
1S-B2-(0-1)

Quant Time: Aug 05 01:14:29 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W072719S.M
Quant Title : SW846 8260
QLast Update : Sat Jul 27 00:23:30 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 991

Delta R.T. 0.00 min

Lab File: VW011685.D

Acq: 04 Aug 2019 01:39

Instrument :

MSVOA_W

ClientSampled :


1S-B2-(0-1)

Tot Ion:168 Resp: 210294

Ion Ratio Lower Upper

168 100

99 59.1 48.2 72.4



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW

7.95

100000

80000



60000

40000

20000

0

Time--> 7.80 7.90 8.00



#33

1,2-Dichloroethane-d4

Concen: 55.457 ug/l

RT: 8.31 min Scan# 1050

Delta R.T. 0.00 min

Lab File: VW011685.D


Acq: 04 Aug 2019 01:39

Tgt Ion: 65 Resp: 133916

Ion Ratio Lower Upper

65 100

67 51.4 0.0 105.2



Abundance Ion 64.90 (64.60 to 65.60): VW

Ion 66.90 (66.60 to 67.60): VW

8.31


60000


40000

20000

0

Time--> 8.20 8.30 8.40









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.84 min Scan# 1138
 Delta R.T. 0.00 min
 Lab File: VW011685.D
 Acq: 04 Aug 2019 01:39




Instrument :
 MSVOA_W
 ClientSampleId :
 1S-B2-(0-1)


Tot Ion:114 Resp: 356570
 Ion Ratio Lower Upper
 114 100
 63 24.6 0.0 49.2
 88 16.9 0.0 33.8



#35
 Dibromofluoromethane
 Concen: 52.974 ug/l
 RT: 7.88 min Scan# 981
 Delta R.T. 0.00 min
 Lab File: VW011685.D
 Acq: 04 Aug 2019 01:39

Tgt Ion:113 Resp: 105971
 Ion Ratio Lower Upper
 113 100
 111 103.7 82.7 124.1
 192 20.5 16.1 24.1









#50
Toluene-d8
Concen: 48.034 ug/l
RT: 10.32 min Scan# 1381
Delta R.T. -0.00 min
Lab File: VW011685.D
Acq: 04 Aug 2019 01:39




Instrument :
MSVOA_W
ClientSampleId :
1S-B2-(0-1)


Tot Ion: 98 Resp: 393414
Ion Ratio Lower Upper
98 100
100 65.2 52.7 79.1



#62
4-Bromofluorobenzene
Concen: 43.669 ug/l
RT: 12.62 min Scan# 1757
Delta R.T. 0.00 min
Lab File: VW011685.D
Acq: 04 Aug 2019 01:39

Tgt Ion: 95 Resp: 127513
Ion Ratio Lower Upper
95 100
174 75.9 0.0 150.2
176 73.1 0.0 144.4









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.63 min Scan# 1595
Delta R.T. -0.01 min
Lab File: VW011685.D
Acq: 04 Aug 2019 01:39

Instrument :
MSVOA_W
ClientSampleId :
1S-B2-(0-1)

Tot Ion:117 Resp: 298433
Ion Ratio Lower Upper
117 100
82 62.6 47.9 71.9
119 31.9 26.2 39.2




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): V
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.56 min Scan# 1912
Delta R.T. 0.00 min
Lab File: VW011685.D
Acq: 04 Aug 2019 01:39

Tgt Ion:152 Resp: 119896
Ion Ratio Lower Upper
152 100
115 60.5 30.5 91.5
150 155.5 0.0 352.6



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

