

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW080521\
 Data File : VW019672.D
 Acq On : 05 Aug 2021 10:19
 Operator : SY/VA
 Sample : VW0805SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Aug 06 01:37:20 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070921SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Aug 06 01:35:48 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.848	114	437819	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	414052	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	193471	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.361	65	115747	18.659	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	74.640%
7) Chloroethane-d5	2.898	69	100424	22.702	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.800%
11) 1,1-Dichloroethene-d2	4.160	63	93	0.008	ug/L	0.13
Spiked Amount	25.000	Range	45 - 110	Recovery	=	0.040%#
21) 2-Butanone-d5	7.080	46	81310	45.160	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	90.320%
24) Chloroform-d	7.653	84	278091	22.988	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.960%
26) 1,2-Dichloroethane-d4	8.305	65	165813	24.977	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	99.920%
32) Benzene-d6	8.281	84	535901	21.743	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	86.960%
36) 1,2-Dichloropropane-d6	9.275	67	169754	22.098	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	88.400%
41) Toluene-d8	10.323	98	474256	21.342	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	85.360%
43) trans-1,3-Dichloroprop...	10.579	79	69287	21.061	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	84.240%
47) 2-Hexanone-d5	10.927	63	60977	42.785	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	85.560%
56) 1,1,2,2-Tetrachloroeth...	12.695	84	144980	23.356	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	93.440%
66) 1,2-Dichlorobenzene-d4	13.853	152	167872	24.592	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	98.360%
Target Compounds						Qvalue
16) Methylene chloride	4.922	84	31225	3.577	ug/L	97
39) cis-1,3-Dichloropropene	10.037	75	5469	0.545	ug/L #	58
42) Toluene	10.390	91	9024	0.334	ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW080521\
Data File : VW019672.D
Acq On : 05 Aug 2021 10:19
Operator : SY/VA
Sample : VW0805SBL01
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Aug 06 01:37:20 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070921SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Aug 06 01:35:48 2021
Response via : Initial Calibration









#16
Methylene chloride
Concen: 3.577 ug/L
RT: 4.922 min Scan# 495
Delta R.T. 0.000 min
Lab File: VW019672.D
Acq: 05 Aug 2021 10:19




Instrument :
MSVOA_W
ClientSampled :


Tgt Ion: 84 Resp: 31225
Ion Ratio Lower Upper
84 100
86 61.4 45.3 84.1
49 120.5 86.6 160.8



#39
cis-1,3-Dichloropropene
Concen: 0.545 ug/L
RT: 10.037 min Scan# 1334
Delta R.T. -0.036 min
Lab File: VW019672.D
Acq: 05 Aug 2021 10:19

Tgt Ion: 75 Resp: 5469
Ion Ratio Lower Upper
75 100
77 55.7 22.6 42.0#





#42
Toluene
Concen: 0.334 ug/L
RT: 10.390 min Scan# 1392
Delta R.T. 0.000 min
Lab File: VW019672.D
Acq: 05 Aug 2021 10:19

Instrument :
MSVOA_W
ClientSampleId :

Tgt Ion: 91 Resp: 9024
Ion Ratio Lower Upper
91 100
92 60.1 39.5 73.3

