


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW080521\
Data File : VW019692.D
Acq On : 05 Aug 2021 19:13
Operator : SY/VA
Sample : M3287-06
Misc : 5.11g/10mL/MSVOA_W/SOIL
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BGB07

Manual Integrations
APPROVED

MMDadoda
8/6/2021 3:55:21 PM

Quant Time: Aug 06 01:41:17 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070921SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Aug 06 01:35:48 2021
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW080521\
 Data File : VW019692.D
 Acq On : 05 Aug 2021 19:13
 Operator : SY/VA
 Sample : M3287-06
 Misc : 5.11g/10mL/MSVOA_W/SOIL
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BGB07

Manual Integrations
 APPROVED

MMDadoda
 8/6/2021 3:55:21 PM

Quant Time: Aug 06 01:41:17 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070921SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Aug 06 01:35:48 2021
 Response via : Initial Calibration



TIC: VW019692.D\data.ms

(13) Acetone (T)

4.123min (+ 0.000) 3.33 ug/L

response 3762

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	26.90	57.20#
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW080521\
 Data File : VW019692.D
 Acq On : 05 Aug 2021 19:13
 Operator : SY/VA
 Sample : M3287-06
 Misc : 5.11g/10mL/MSVOA_W/SOIL
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BGB07

Manual Integrations
 APPROVED

MMDadoda
 8/6/2021 3:55:21 PM

Quant Time: Aug 06 01:41:17 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070921SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Aug 06 01:35:48 2021
 Response via : Initial Calibration



TIC: VW019692.D\data.ms

(13) Acetone (T)

4.141min (+ 0.018) 6.12 ug/L m

response 6924

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	26.90	31.08
0.00	0.00	0.00
0.00	0.00	0.00

Handwritten:
 > MD
 8/10/21
 8/17/21

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW080521\
 Data File : VW019692.D
 Acq On : 05 Aug 2021 19:13
 Operator : SY/VA
 Sample : M3287-06
 Misc : 5.11g/10mL/MSVOA_W/SOIL
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BGB07

Manual Integrations
 APPROVED

MMDadoda
 8/6/2021 3:55:21 PM

Quant Time: Aug 06 01:41:17 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM070921SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Aug 06 01:35:48 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.848	114	373236	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	321761	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	121853	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.361	65	115891	21.915	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	87.640%		
7) Chloroethane-d5	2.898	69	94395	25.031	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	100.120%		
11) 1,1-Dichloroethene-d2	4.032	63	175021	17.153	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	68.600%		
21) 2-Butanone-d5	7.080	46	78702	51.276	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	102.560%		
24) Chloroform-d	7.653	84	255838	24.808	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	99.240%		
26) 1,2-Dichloroethane-d4	8.311	65	163877	28.956	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	115.840%		
32) Benzene-d6	8.275	84	504449	26.337	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	105.360%		
36) 1,2-Dichloropropane-d6	9.274	67	156099	26.149	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	104.600%		
41) Toluene-d8	10.323	98	423198	24.507	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	98.040%		
43) trans-1,3-Dichloroprop...	10.579	79	58718	22.968	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	91.880%		
47) 2-Hexanone-d5	10.927	63	58931	53.209	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	106.420%		
56) 1,1,2,2-Tetrachloroeth...	12.695	84	144227	29.899	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	119.600%		
66) 1,2-Dichlorobenzene-d4	13.853	152	120073	27.929	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	111.720%		
Target Compounds						
13) Acetone	4.141	43	6924m	6.122	ug/L	Qvalue
16) Methylene chloride	4.922	84	65463	8.798	ug/L	99
42) Toluene	10.390	91	7155	0.341	ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed