

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW080619\
 Data File : VW011730.D
 Acq On : 06 Aug 2019 00:15
 Operator : SY/VA
 Sample : K4164-04
 Misc : 5.16G/5ML/MSVOA W/SOIL
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 RBR-2000051

Quant Time: Aug 06 08:42:15 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W072719S.M
 Quant Title : SW846 8260
 QLast Update : Sat Jul 27 00:23:30 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	11584	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	18826	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	14856	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.56	152	2890	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	8.30	65	8678	65.24	ug/l	0.00
Spiked Amount			Recovery	=	130.48%	
35) Dibromofluoromethane	7.89	113	6623	62.71	ug/l	0.00
Spiked Amount			Recovery	=	125.42%	
50) Toluene-d8	10.33	98	22787	52.70	ug/l	0.00
Spiked Amount			Recovery	=	105.40%	
62) 4-Bromofluorobenzene	12.62	95	5542	35.95	ug/l	0.00
Spiked Amount			Recovery	=	71.90%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW080619\
Data File : VW011730.D
Acq On : 06 Aug 2019 00:15
Operator : SY/VA
Sample : K4164-04
Misc : 5.16G/5ML/MSVOA W/SOIL
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
RBR-2000051

Quant Time: Aug 06 08:42:15 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W072719S.M
Quant Title : SW846 8260
QLast Update : Sat Jul 27 00:23:30 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 991

Delta R.T. -0.00 min

Lab File: VW011730.D

Acq: 06 Aug 2019 00:15

Instrument :

MSVOA_W

ClientSampleId :


RBR-2000051

Tot Ion:168 Resp: 11584

Ion Ratio Lower Upper




168 100

99 55.8 48.2 72.4



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW



#33

1,2-Dichloroethane-d4

Concen: 65.240 ug/l

RT: 8.30 min Scan# 1050

Delta R.T. -0.00 min

Lab File: VW011730.D


Acq: 06 Aug 2019 00:15

Tgt Ion: 65 Resp: 8678

Ion Ratio Lower Upper



65 100


67 51.4 0.0 105.2



Abundance Ion 64.90 (64.60 to 65.60): VW

Ion 66.90 (66.60 to 67.60): VW









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.84 min Scan# 1138
 Delta R.T. -0.00 min
 Lab File: VW011730.D
 Acq: 06 Aug 2019 00:15

Instrument :
 MSVOA_W
 ClientSampleId :
 RBR-2000051

Tot Ion:114 Resp: 18826
 Ion Ratio Lower Upper
 114 100
 63 23.5 0.0 49.2
 88 15.8 0.0 33.8




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VW
 Ion 87.90 (87.60 to 88.60): VW






#35
 Dibromofluoromethane
 Concen: 62.708 ug/l
 RT: 7.89 min Scan# 982
 Delta R.T. 0.01 min
 Lab File: VW011730.D
 Acq: 06 Aug 2019 00:15

Tgt Ion:113 Resp: 6623
 Ion Ratio Lower Upper
 113 100
 111 104.6 82.7 124.1
 192 21.0 16.1 24.1



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V









#50
Toluene-d8
Concen: 52.695 ug/l
RT: 10.33 min Scan# 1382
Delta R.T. 0.01 min
Lab File: VW011730.D
Acq: 06 Aug 2019 00:15




Instrument :
MSVOA_W
ClientSampled :
RBR-2000051


Tot Ion: 98 Resp: 22787
Ion Ratio Lower Upper
98 100
100 64.2 52.7 79.1



#62
4-Bromofluorobenzene
Concen: 35.948 ug/l
RT: 12.62 min Scan# 1758
Delta R.T. 0.01 min
Lab File: VW011730.D
Acq: 06 Aug 2019 00:15

Tgt Ion: 95 Resp: 5542
Ion Ratio Lower Upper
95 100
174 74.2 0.0 150.2
176 67.5 0.0 144.4









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.63 min Scan# 1595
Delta R.T. -0.01 min
Lab File: VW011730.D
Acq: 06 Aug 2019 00:15

Instrument :
MSVOA_W
ClientSampleId :
RBR-2000051

Tot Ion:117 Resp: 14856
Ion Ratio Lower Upper
117 100
82 54.9 47.9 71.9
119 26.5 26.2 39.2




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VV
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.56 min Scan# 1912
Delta R.T. -0.00 min
Lab File: VW011730.D
Acq: 06 Aug 2019 00:15

Tgt Ion:152 Resp: 2890
Ion Ratio Lower Upper
152 100
115 58.0 30.5 91.5
150 145.5 0.0 352.6



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

