

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW080620\
 Data File : VW016057.D
 Acq On : 06 Aug 2020 20:39
 Operator : SY/VA
 Sample : L3564-14
 Misc : 5.53G/10ML/MSVOA W/SOIL
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BFSN1

Quant Time: Aug 07 08:20:00 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072020S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 07 07:41:20 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	372656	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	339869	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	153562	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	65794	12.51	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	50.04%
7) Chloroethane-d5	2.89	69	56563	13.24	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	52.96%
10) 1,1-Dichloroethene-d2	4.01	63	114408	10.76	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	43.04%#
20) 2-Butanone-d5	7.09	46	41498	30.04	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	60.08%
24) Chloroform-d	7.65	84	176600	16.87	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	67.48%
26) 1,2-Dichloroethane-d4	8.31	65	93083	16.20	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	64.80%#
29) Benzene-d6	8.27	84	353822	17.10	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	68.40%
33) 1,2-Dichloropropane-d6	9.27	67	105791	17.06	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	68.24%#
37) Toluene-d8	10.32	98	318583	17.00	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	68.00%
38) trans-1,3-Dichloropropene-	10.58	79	42134	15.94	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	63.76%
39) 2-Hexanone-d5	10.93	63	33515	32.45	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	64.90%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	84030	17.63	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	70.52%
61) 1,2-Dichlorobenzene-d4	13.85	152	116840	19.51	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	78.04%

Target Compounds					Ovalue
16) Methylene chloride	4.91	84	11374	1.863 ug/L	87
47) Tetrachloroethene	10.87	164	6732	1.588 ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW080620\
Data File : VW016057.D
Acq On : 06 Aug 2020 20:39
Operator : SY/VA
Sample : L3564-14
Misc : 5.53G/10ML/MSVOA W/SOIL
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BFSN1

Quant Time: Aug 07 08:20:00 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072020S.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 07 07:41:20 2020
Response via : Initial Calibration

