

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW080620\
 Data File : VW016059.D
 Acq On : 06 Aug 2020 21:26
 Operator : SY/VA
 Sample : VIBLK13
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK13

Quant Time: Aug 07 08:23:54 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072020S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 07 07:41:20 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	290556	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	267344	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	126289	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	84813	20.69	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.76%
7) Chloroethane-d5	2.89	69	65859	19.78	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.12%
10) 1,1-Dichloroethene-d2	4.01	63	132244	15.95	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	63.80%
20) 2-Butanone-d5	7.09	46	52554	48.80	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	97.60%
24) Chloroform-d	7.65	84	189918	23.27	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	93.08%
26) 1,2-Dichloroethane-d4	8.31	65	106051	23.67	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	94.68%
29) Benzene-d6	8.27	84	391305	24.05	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	96.20%
33) 1,2-Dichloropropane-d6	9.27	67	113697	23.31	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	93.24%
37) Toluene-d8	10.32	98	359738	24.40	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	97.60%
38) trans-1,3-Dichloropropene-	10.58	79	49311	23.71	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	94.84%
39) 2-Hexanone-d5	10.93	63	43362	53.38	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	106.76%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	99211	26.46	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	105.84%
61) 1,2-Dichlorobenzene-d4	13.85	152	127684	25.93	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	103.72%

Target Compounds					Ovalue
16) Methylene chloride	4.91	84	22383	4.701 ug/L	79

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW080620\
Data File : VW016059.D
Acq On : 06 Aug 2020 21:26
Operator : SY/VA
Sample : VIBLK13
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK13

Quant Time: Aug 07 08:23:54 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072020S.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 07 07:41:20 2020
Response via : Initial Calibration

