

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW080620\
 Data File : VW016051.D
 Acq On : 06 Aug 2020 18:17
 Operator : SY/VA
 Sample : VIBLK11
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK11

Quant Time: Aug 07 08:05:26 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072020S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 07 07:41:20 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	268740	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	254001	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	118822	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	75558	19.93	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.72%
7) Chloroethane-d5	2.89	69	57219	18.58	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	74.32%
10) 1,1-Dichloroethene-d2	4.01	63	115103	15.01	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	60.04%
20) 2-Butanone-d5	7.09	46	40177	40.33	ug/L	0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	80.66%
24) Chloroform-d	7.65	84	160541	21.27	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	85.08%
26) 1,2-Dichloroethane-d4	8.30	65	86847	20.96	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	83.84%
29) Benzene-d6	8.27	84	328389	21.24	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	84.96%
33) 1,2-Dichloropropane-d6	9.27	67	96753	20.87	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	83.48%
37) Toluene-d8	10.32	98	307276	21.94	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	87.76%
38) trans-1,3-Dichloropropene-	10.58	79	40568	20.53	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	82.12%
39) 2-Hexanone-d5	10.93	63	32766	42.46	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	84.92%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	78679	22.08	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	88.32%
61) 1,2-Dichlorobenzene-d4	13.85	152	108126	23.34	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	93.36%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	21352	4.849 ug/L	85
47) Tetrachloroethene	10.87	164	2059	0.650 ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW080620\
Data File : VW016051.D
Acq On : 06 Aug 2020 18:17
Operator : SY/VA
Sample : VIBLK11
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK11

Quant Time: Aug 07 08:05:26 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072020S.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 07 07:41:20 2020
Response via : Initial Calibration





#16

Methylene chloride

Concen: 4.849 ug/L

RT: 4.92 min Scan# 494

Delta R.T. 0.01 min

Lab File: VW016051.D

Acq: 06 Aug 2020 18:17

Instrument :

MSVOA_W

ClientSampleId :

VIBLK11





Tot Ion: 84 Resp: 21352

Ion Ratio Lower Upper

84 100

49 108.3 91.1 169.1

86 59.8 46.0 85.4



#47

Tetrachloroethene

Concen: 0.650 ug/L

RT: 10.87 min Scan# 1470

Delta R.T. 0.01 min

Lab File: VW016051.D

Acq: 06 Aug 2020 18:17

Tgt Ion: 164 Resp: 2059

Ion Ratio Lower Upper

164 100

129 93.7 70.0 130.0

131 84.4 67.3 124.9

166 112.6 88.5 164.3

