

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW080718\
 Data File : VW004497.D
 Acq On : 07 Aug 2018 15:22
 Operator : SY/AP
 Sample : J4301-23
 Misc : 5.00G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK01

Quant Time: Aug 08 05:49:54 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM080218S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Aug 08 05:39:03 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	758764	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	769369	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	331376	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	198662	21.05	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	84.20%
7) Chloroethane-d5	2.89	69	168040	21.16	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	84.64%
10) 1,1-Dichloroethene-d2	4.01	63	302012	15.76	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	63.04%
20) 2-Butanone-d5	7.09	46	225848	54.27	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	108.54%
24) Chloroform-d	7.65	84	460563	22.42	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	89.68%
26) 1,2-Dichloroethane-d4	8.31	65	264934	23.13	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	92.52%
29) Benzene-d6	8.28	84	869920	21.25	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	85.00%
33) 1,2-Dichloropropane-d6	9.28	67	283295	21.18	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	84.72%
37) Toluene-d8	10.33	98	713845	19.78	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	79.12%
38) trans-1,3-Dichloropropene-	10.58	79	105632	19.20	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	76.80%
39) 2-Hexanone-d5	10.93	63	157714	48.43	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	96.86%
48) 1,1,2,2-Tetrachloroethane-	12.70	84	332903	22.95	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	91.80%
61) 1,2-Dichlorobenzene-d4	13.86	152	303599	24.39	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	97.56%

Target Compounds					Qvalue
16) Methylene chloride	4.91	84	60255	3.998 ug/L	97
59) 1,2,3-Trichloropropane	13.56	75	39352	3.717 ug/L	90





(#) = qualifier out of range (m) = manual integration (+) = signals summed



#16
Methylene chloride
Concen: 3.998 ug/L
RT: 4.91 min Scan# 545
Delta R.T. -0.00 min
Lab File: VW004497.D
Acq: 07 Aug 2018 15:22

Instrument :
MSVOA_W
ClientSampleId :
VHBLK01

Tgt Ion: 84 Resp: 60255
Ion Ratio Lower Upper
84 100
49 126.2 86.0 159.6
86 60.6 43.5 80.9



#59
1,2,3-Trichloropropane
Concen: 3.717 ug/L
RT: 13.56 min Scan# 1964
Delta R.T. 0.79 min
Lab File: VW004497.D
Acq: 07 Aug 2018 15:22

Tgt Ion: 75 Resp: 39352
Ion Ratio Lower Upper
75 100
77 37.1 25.3 37.9

