

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW080718\
 Data File : VW004498.D
 Acq On : 07 Aug 2018 15:56
 Operator : SY/AP
 Sample : VIBLK92
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK92

Manual Integrations
 APPROVED

MMDadoda
 8/8/2018 2:13:36 PM

Quant Time: Aug 08 09:38:44 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM080218S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Aug 08 05:39:03 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	737353	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	758849	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	333509	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	183598	20.02	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	80.08%
7) Chloroethane-d5	2.89	69	155232	20.12	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	80.48%
10) 1,1-Dichloroethene-d2	4.01	63	279973	15.03	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	60.12%
20) 2-Butanone-d5	7.09	46	236667	58.53	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	117.06%
24) Chloroform-d	7.65	84	434758	21.78	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	87.12%
26) 1,2-Dichloroethane-d4	8.31	65	259090m	23.28	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	93.12%
29) Benzene-d6	8.28	84	813043	20.14	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	80.56%
33) 1,2-Dichloropropane-d6	9.27	67	278156	21.08	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	84.32%
37) Toluene-d8	10.33	98	666072	18.72	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	74.88%
38) trans-1,3-Dichloropropene-	10.58	79	103513	19.08	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	76.32%
39) 2-Hexanone-d5	10.93	63	165491	51.52	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	103.04%
48) 1,1,2,2-Tetrachloroethane-	12.70	84	338092	23.63	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	94.52%
61) 1,2-Dichlorobenzene-d4	13.86	152	292547	23.35	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	93.40%

Target Compounds					Ovalue
13) Acetone	4.14	43	10673	3.05 ug/L	78
16) Methylene chloride	4.91	84	57987	3.96 ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW080718\
Data File : VW004498.D
Acq On : 07 Aug 2018 15:56
Operator : SY/AP
Sample : VIBLK92
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
VIBLK92

Manual Integrations
APPROVED

MMDadoda
8/8/2018 2:13:36 PM

Quant Time: Aug 08 09:38:44 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM080218S.M
Quant Title : VOC Analysis
QLast Update : Wed Aug 08 05:39:03 2018
Response via : Initial Calibration





#13

Acetone

Concen: 3.05 ug/L

RT: 4.14 min Scan# 418

Delta R.T. -0.01 min

Lab File: VW004498.D

Acq: 07 Aug 2018 15:56

Instrument :

MSVOA_W

ClientSampleId :

VIBLK92

Tot Ion: 43 Resp: 10673





Ion Ratio Lower Upper

43 100

58 20.8 0.0 66.4

Manual Integrations
APPROVED

MMDadoda
8/8/2018 2:13:36 PM



#16

Methylene chloride

Concen: 3.96 ug/L

RT: 4.91 min Scan# 545

Delta R.T. 0.00 min

Lab File: VW004498.D

Acq: 07 Aug 2018 15:56

Tgt Ion: 84 Resp: 57987

Ion Ratio Lower Upper

84 100

49 116.9 86.0 159.6

86 65.4 43.5 80.9

