

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW080720\
 Data File : VW016075.D
 Acq On : 07 Aug 2020 14:33
 Operator : SY/VA
 Sample : VIBLK27
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK27

Quant Time: Aug 08 05:04:58 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072020S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Aug 08 03:18:33 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	269502	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	259109	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	117964	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	84125	22.12	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	88.48%
7) Chloroethane-d5	2.89	69	64027	20.73	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.92%
10) 1,1-Dichloroethene-d2	4.01	63	130636	16.99	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	67.96%
20) 2-Butanone-d5	7.09	46	42449	42.49	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	84.98%
24) Chloroform-d	7.65	84	181406	23.97	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	95.88%
26) 1,2-Dichloroethane-d4	8.31	65	95234	22.92	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	91.68%
29) Benzene-d6	8.27	84	376891	23.90	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	95.60%
33) 1,2-Dichloropropane-d6	9.27	67	107152	22.66	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	90.64%
37) Toluene-d8	10.32	98	344277	24.10	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	96.40%
38) trans-1,3-Dichloropropene-	10.58	79	43765	21.72	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	86.88%
39) 2-Hexanone-d5	10.93	63	34120	43.34	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	86.68%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	84646	23.29	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	93.16%
61) 1,2-Dichlorobenzene-d4	13.85	152	121441	26.40	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	105.60%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	16174	3.663 ug/L	83




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW080720\
Data File : VW016075.D
Acq On : 07 Aug 2020 14:33
Operator : SY/VA
Sample : VIBLK27
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK27

Quant Time: Aug 08 05:04:58 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM072020S.M
Quant Title : VOC Analysis
QLast Update : Sat Aug 08 03:18:33 2020
Response via : Initial Calibration





#16
Methylene chloride
Concen: 3.663 ug/L
RT: 4.92 min Scan# 495
Delta R.T. 0.01 min
Lab File: VW016075.D
Acq: 07 Aug 2020 14:33

Instrument :
MSVOA_W
ClientSampleId :
VIBLK27

Tot Ion: 84 Resp: 16174

Ion	Ratio	Lower	Upper
84	100		
49	105.2	91.1	169.1
86	59.6	46.0	85.4

