

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW080819\
 Data File : VW011753.D
 Acq On : 07 Aug 2019 16:05
 Operator : SY/VA
 Sample : K4208-03
 Misc : 6.35G/5ML/MSVOA W/SOIL
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 SB-02(10-12)

Quant Time: Aug 08 09:00:35 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W072719S.M
 Quant Title : SW846 8260
 QLast Update : Sat Jul 27 00:23:30 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	209156	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	348985	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	291006	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.56	152	117377	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.30	65	138594	57.71	ug/l	0.00
Spiked Amount	50.000		Recovery	=	115.42%	
35) Dibromofluoromethane	7.88	113	108929	55.64	ug/l	0.00
Spiked Amount	50.000		Recovery	=	111.28%	
50) Toluene-d8	10.32	98	429079	53.53	ug/l	0.00
Spiked Amount	50.000		Recovery	=	107.06%	
62) 4-Bromofluorobenzene	12.62	95	135464	47.40	ug/l	0.00
Spiked Amount	50.000		Recovery	=	94.80%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW080819\
Data File : VW011753.D
Acq On : 07 Aug 2019 16:05
Operator : SY/VA
Sample : K4208-03
Misc : 6.35G/5ML/MSVOA W/SOIL
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
SB-02(10-12)

Quant Time: Aug 08 09:00:35 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W072719S.M
Quant Title : SW846 8260
QLast Update : Sat Jul 27 00:23:30 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 991

Delta R.T. -0.00 min

Lab File: VW011753.D

Acq: 07 Aug 2019 16:05

Instrument :

MSVOA_W

ClientSampled :


SB-02(10-12)

Tot Ion:168 Resp: 209156

Ion Ratio Lower Upper




168 100

99 58.5 48.2 72.4



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW



#33

1,2-Dichloroethane-d4

Concen: 57.707 ug/l

RT: 8.30 min Scan# 1050

Delta R.T. -0.00 min

Lab File: VW011753.D


Acq: 07 Aug 2019 16:05

Tgt Ion: 65 Resp: 138594

Ion Ratio Lower Upper



65 100


67 51.9 0.0 105.2



Abundance Ion 64.90 (64.60 to 65.60): VW

Ion 66.90 (66.60 to 67.60): VW





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.84 min Scan# 1138

Delta R.T. -0.00 min

Lab File: VW011753.D

Acq: 07 Aug 2019 16:05

Instrument :

MSVOA_W

ClientSampleId :

SB-02(10-12)


Tot Ion:114 Resp: 348985

Ion Ratio Lower Upper

114 100

63 24.2 0.0 49.2




88 16.8 0.0 33.8



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VW

Ion 87.90 (87.60 to 88.60): VW



#35

Dibromofluoromethane

Concen: 55.637 ug/l

RT: 7.88 min Scan# 981

Delta R.T. -0.00 min

Lab File: VW011753.D

Acq: 07 Aug 2019 16:05


Tgt Ion:113 Resp: 108929

Ion Ratio Lower Upper

113 100

111 102.6 82.7 124.1



192 20.3 16.1 24.1




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 53.527 ug/l

RT: 10.32 min Scan# 1381

Delta R.T. -0.00 min

Lab File: VW011753.D

Acq: 07 Aug 2019 16:05

Instrument :

MSVOA_W

ClientSampleId :


SB-02(10-12)

Tot Ion: 98 Resp: 429079

Ion Ratio Lower Upper

98 100

100 65.2 52.7 79.1



Abundance Ion 98.00 (97.70 to 98.70): VW

Ion 100.00 (99.70 to 100.70): VW

10.32

250000

200000

150000



100000

50000

0

Time-->

10.20 10.30 10.40 10.50



#62

4-Bromofluorobenzene

Concen: 47.400 ug/l

RT: 12.62 min Scan# 1758

Delta R.T. 0.01 min

Lab File: VW011753.D

Acq: 07 Aug 2019 16:05


Tgt Ion: 95 Resp: 135464

Ion Ratio Lower Upper

95 100

174 75.8 0.0 150.2

176 74.4 0.0 144.4



Abundance Ion 94.90 (94.60 to 95.60): VW

Ion 173.80 (173.50 to 174.50): VW

Ion 175.80 (175.50 to 176.50): VW

12.62

100000

80000

60000


40000


20000

0

Time-->

12.50 12.60 12.70









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.63 min Scan# 1596
Delta R.T. -0.00 min
Lab File: VW011753.D
Acq: 07 Aug 2019 16:05

Instrument :
MSVOA_W
ClientSampleId :
SB-02(10-12)

Tot Ion:117 Resp: 291006
Ion Ratio Lower Upper
117 100
82 58.7 47.9 71.9
119 31.5 26.2 39.2




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VW
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.56 min Scan# 1912
Delta R.T. -0.00 min
Lab File: VW011753.D
Acq: 07 Aug 2019 16:05

Tgt Ion:152 Resp: 117377
Ion Ratio Lower Upper
152 100
115 61.2 30.5 91.5
150 157.0 0.0 352.6



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

