

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW080819\
 Data File : VW011757.D
 Acq On : 07 Aug 2019 17:48
 Operator : SY/VA
 Sample : K4219-05
 Misc : 5.58G/5ML/MSVOA W/SOIL
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VNJ-239-217-225-230

Quant Time: Aug 08 09:06:38 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W072719S.M
 Quant Title : SW846 8260
 QLast Update : Sat Jul 27 00:23:30 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	205166	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	342255	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	284674	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.56	152	107258	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.31	65	137767	58.48	ug/l	0.00
Spiked Amount 50.000			Recovery	=	116.96%	
35) Dibromofluoromethane	7.88	113	106580	55.51	ug/l	0.00
Spiked Amount 50.000			Recovery	=	111.02%	
50) Toluene-d8	10.32	98	420566	53.50	ug/l	0.00
Spiked Amount 50.000			Recovery	=	107.00%	
62) 4-Bromofluorobenzene	12.62	95	127782	45.59	ug/l	0.00
Spiked Amount 50.000			Recovery	=	91.18%	
Target Compounds						
16) Acetone	4.14	43	9626	12.845	ug/l	Qvalue 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW080819\
Data File : VW011757.D
Acq On : 07 Aug 2019 17:48
Operator : SY/VA
Sample : K4219-05
Misc : 5.58G/5ML/MSVOA W/SOIL
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VNJ-239-217-225-230

Quant Time: Aug 08 09:06:38 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W072719S.M
Quant Title : SW846 8260
QLast Update : Sat Jul 27 00:23:30 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 991

Delta R.T. 0.00 min

Lab File: VW011757.D

Acq: 07 Aug 2019 17:48

Instrument :

MSVOA_W

ClientSampleId :


VNJ-239-217-225-230

Tot Ion:168 Resp: 205166

Ion Ratio Lower Upper

168 100

99 63.3 48.2 72.4



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW

7.95

100000

80000



60000

40000

20000

0

Time-->



#16

Acetone

Concen: 12.845 ug/l

RT: 4.14 min Scan# 366

Delta R.T. 0.02 min

Lab File: VW011757.D


Acq: 07 Aug 2019 17:48

Tgt Ion: 43 Resp: 9626

Ion Ratio Lower Upper

43 100

58 25.2 22.3 33.5



Abundance Ion 43.00 (42.70 to 43.70): VW

Ion 58.00 (57.70 to 58.70): VW

4.14


3000


2000

1000

0

Time-->









#33
 1,2-Dichloroethane-d4
 Concen: 58.478 ug/l
 RT: 8.31 min Scan# 1050
 Delta R.T. 0.00 min
 Lab File: VW011757.D
 Acq: 07 Aug 2019 17:48




Instrument :
 MSVOA_W
 ClientSampleId :
 VNJ-239-217-225-230


Tot Ion: 65 Resp: 137767
 Ion Ratio Lower Upper
 65 100
 67 51.4 0.0 105.2



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.84 min Scan# 1138
 Delta R.T. 0.00 min
 Lab File: VW011757.D
 Acq: 07 Aug 2019 17:48

Tgt Ion: 114 Resp: 342255
 Ion Ratio Lower Upper
 114 100
 63 24.2 0.0 49.2
 88 17.0 0.0 33.8





#35

Dibromofluoromethane

Concen: 55.507 ug/l

RT: 7.88 min Scan# 981

Delta R.T. 0.00 min

Lab File: VW011757.D

Acq: 07 Aug 2019 17:48

Instrument :

MSVOA_W

ClientSampleId :

VNJ-239-217-225-230


Tot Ion:113 Resp: 106580

Ion Ratio Lower Upper

113 100

111 102.9 82.7 124.1




192 19.9 16.1 24.1



Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V



#50

Toluene-d8

Concen: 53.497 ug/l

RT: 10.32 min Scan# 1381

Delta R.T. 0.00 min

Lab File: VW011757.D


Acq: 07 Aug 2019 17:48

Tgt Ion: 98 Resp: 420566

Ion Ratio Lower Upper



98 100


100 65.6 52.7 79.1



Abundance Ion 98.00 (97.70 to 98.70): VW

Ion 100.00 (99.70 to 100.70): VW





#62

4-Bromofluorobenzene

Concen: 45.591 ug/l

RT: 12.62 min Scan# 1757

Delta R.T. 0.00 min

Lab File: VW011757.D

Acq: 07 Aug 2019 17:48

Instrument :

MSVOA_W

ClientSampleId :

VNJ-239-217-225-230


Tot Ion: 95 Resp: 127782

Ion Ratio Lower Upper

95 100

174 76.5 0.0 150.2




176 74.7 0.0 144.4



Abundance Ion 94.90 (94.60 to 95.60): VW

Ion 173.80 (173.50 to 174.50): VW

Ion 175.80 (175.50 to 176.50): VW



#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.63 min Scan# 1596

Delta R.T. 0.00 min

Lab File: VW011757.D

Acq: 07 Aug 2019 17:48


Tgt Ion: 117 Resp: 284674

Ion Ratio Lower Upper

117 100

82 60.3 47.9 71.9



119 31.0 26.2 39.2




Abundance Ion 116.90 (116.60 to 117.60): VW

Ion 82.00 (81.70 to 82.70): VW

Ion 118.90 (118.60 to 119.60): VW





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.56 min Scan# 1912

Delta R.T. 0.00 min

Lab File: VW011757.D

Acq: 07 Aug 2019 17:48

Instrument :

MSVOA_W

ClientSampleId :

VNJ-239-217-225-230


Tot Ion:152 Resp: 107258

Ion Ratio Lower Upper

152 100

115 61.4 30.5 91.5

150 156.9 0.0 352.6



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

