

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW081120\
 Data File : VW016125.D
 Acq On : 11 Aug 2020 10:21
 Operator : SY/VA
 Sample : L3598-19
 Misc : 6.62G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GAY75

Quant Time: Aug 11 16:09:13 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081020S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Aug 11 16:06:11 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	508730	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	471833	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	194330	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	145650	23.09	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	92.36%
7) Chloroethane-d5	2.89	69	103901	21.70	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	86.80%
10) 1,1-Dichloroethene-d2	4.01	63	234820	17.53	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	70.12%
20) 2-Butanone-d5	7.09	46	86793	52.30	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	104.60%
24) Chloroform-d	7.65	84	302031	22.12	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	88.48%
26) 1,2-Dichloroethane-d4	8.30	65	173642	23.95	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	95.80%
29) Benzene-d6	8.27	84	600020	23.38	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	93.52%
33) 1,2-Dichloropropane-d6	9.27	67	177382	23.50	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	94.00%
37) Toluene-d8	10.32	98	542927	23.06	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	92.24%
38) trans-1,3-Dichloropropene-	10.58	79	82390	24.29	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	97.16%
39) 2-Hexanone-d5	10.93	63	73334	56.32	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	112.64%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	156016	25.39	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	101.56%
61) 1,2-Dichlorobenzene-d4	13.86	152	171389	24.88	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	99.52%


Target Compounds					Qvalue
13) Acetone	4.14	43	23884	19.023 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_W\DATA\VW081120\
Data File : VW016125.D
Acq On : 11 Aug 2020 10:21
Operator : SY/VA
Sample : L3598-19
Misc : 6.62G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GAY75

Quant Time: Aug 11 16:09:13 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081020S.M
Quant Title : VOC Analysis
QLast Update : Tue Aug 11 16:06:11 2020
Response via : Initial Calibration





#13

Acetone

Concen: 19.023 ug/L

RT: 4.14 min Scan# 367

Delta R.T. -0.00 min

Lab File: VW016125.D

Acq: 11 Aug 2020 10:21

Instrument :

MSVOA_W

ClientSampleId :

GAY75

Tgt Ion: 43 Resp: 23884

Ion Ratio Lower Upper

43 100

58 30.5 0.0 59.4

