

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW081120\
 Data File : VW016129.D
 Acq On : 11 Aug 2020 12:26
 Operator : SY/VA
 Sample : VIBLK
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK

Quant Time: Aug 11 18:05:17 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081020S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Aug 11 16:06:11 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	404893	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	362626	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	150295	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	107433	21.40	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	85.60%
7) Chloroethane-d5	2.89	69	78774	20.67	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.68%
10) 1,1-Dichloroethene-d2	4.01	63	172686	16.20	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	64.80%
20) 2-Butanone-d5	7.08	46	57471	43.51	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	87.02%
24) Chloroform-d	7.65	84	215674	19.85	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	79.40%
26) 1,2-Dichloroethane-d4	8.31	65	116994	20.27	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	81.08%
29) Benzene-d6	8.27	84	427602	21.68	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	86.72%
33) 1,2-Dichloropropane-d6	9.27	67	121203	20.89	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	83.56%
37) Toluene-d8	10.32	98	382845	21.16	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	84.64%
38) trans-1,3-Dichloropropene-	10.58	79	53145	20.38	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	81.52%
39) 2-Hexanone-d5	10.93	63	44911	44.88	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	89.76%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	101263	21.44	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	85.76%
61) 1,2-Dichlorobenzene-d4	13.85	152	117246	22.01	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	88.04%

Target Compounds					Ovalue
16) Methylene chloride	4.91	84	17947	2.807 ug/L	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW081120\
Data File : VW016129.D
Acq On : 11 Aug 2020 12:26
Operator : SY/VA
Sample : VIBLK
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK

Quant Time: Aug 11 18:05:17 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081020S.M
Quant Title : VOC Analysis
QLast Update : Tue Aug 11 16:06:11 2020
Response via : Initial Calibration

