




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081122\
 Data File : VW024227.D
 Acq On : 11 Aug 2022 13:05
 Operator : SY/VA
 Sample : N4110-08
 Misc : 5.01g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK002

Manual IntegrationsAPPROVED

Quant Time: Aug 12 03:14:19 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080422SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Aug 12 03:13:23 2022
 Response via : Initial Calibration

Reviewed By :Mahesh Dadoda 08/12/2022
 Supervised By :Semsettin Yesilyurt 08/12/2022



TIC: VW024227.D\data.ms

(11) 1,1-Dichloroethene-d2 (S)

4.141min (+ 0.128) 0.07 ug/L

response 477

Ion	Exp%	Act%
63.00	100.00	100.00
98.00	75.50	55.14
65.00	23.50	24.32
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081122\
 Data File : VW024227.D
 Acq On : 11 Aug 2022 13:05
 Operator : SY/VA
 Sample : N4110-08
 Misc : 5.01g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK002

Manual IntegrationsAPPROVED

Quant Time: Aug 12 03:14:19 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080422SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Aug 12 03:13:23 2022
 Response via : Initial Calibration

Reviewed By :Mahesh Dadoda 08/12/2022
 Supervised By :Semsettin Yesilyurt 08/12/2022



TIC: VW024227.D\data.ms

(11) 1,1-Dichloroethene-d2 (S)

4.001min (-0.012) 15.91 ug/L m

response 108793

Ion	Exp%	Act%
63.00	100.00	100.00
98.00	75.50	0.24#
65.00	23.50	0.11#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081122\
 Data File : VW024227.D
 Acq On : 11 Aug 2022 13:05
 Operator : SY/VA
 Sample : N4110-08
 Misc : 5.01g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK002

Manual IntegrationsAPPROVED

Reviewed By :Mahesh Dadoda 08/12/2022
 Supervised By :Semsettin Yesilyurt 08/12/2022

Quant Time: Aug 12 03:14:19 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080422SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Aug 12 03:13:23 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	287025	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	284504	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	138216	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.343	65	128797	21.468	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	85.880%	
7) Chloroethane-d5	2.873	69	80347	21.498	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	86.000%	
11) 1,1-Dichloroethene-d2	4.001	63	108793m	15.911	ug/L	-0.01
Spiked Amount 25.000	Range 45	- 110	Recovery	=	63.640%	
21) 2-Butanone-d5	7.080	46	60581	54.275	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	108.560%	
24) Chloroform-d	7.647	84	199483	22.970	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	91.880%	
26) 1,2-Dichloroethane-d4	8.305	65	116255	24.111	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	96.440%	
32) Benzene-d6	8.268	84	367556	21.906	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	87.640%	
36) 1,2-Dichloropropane-d6	9.274	67	112888	22.787	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	91.160%	
41) Toluene-d8	10.323	98	328594	20.952	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	83.800%	
43) trans-1,3-Dichloroprop...	10.579	79	48127	22.179	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	88.720%	
47) 2-Hexanone-d5	10.920	63	48171	52.643	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	105.280%	
56) 1,1,2,2-Tetrachloroeth...	12.688	84	119535	24.870	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	99.480%	
66) 1,2-Dichlorobenzene-d4	13.853	152	135120	26.715	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	106.840%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081122\
Data File : VW024227.D
Acq On : 11 Aug 2022 13:05
Operator : SY/VA
Sample : N4110-08
Misc : 5.01g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK002

Manual IntegrationsAPPROVED

Reviewed By :Mahesh Dadoda 08/12/2022
Supervised By :Semsettin Yesilyurt 08/12/2022

Quant Time: Aug 12 03:14:19 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080422SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Aug 12 03:13:23 2022
Response via : Initial Calibration

