

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081123\
 Data File : VW026713.D
 Acq On : 11 Aug 2023 16:23
 Operator : SY/MD
 Sample : 03967-18
 Misc : 5.50g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A48M4

Quant Time: Aug 12 00:44:44 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081023SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Aug 12 00:39:51 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	812594	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	679455	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	219686	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	226082	16.925	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	67.680%
7) Chloroethane-d5	2.893	69	180962	18.218	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	72.880%
11) 1,1-Dichloroethene-d2	4.021	65	116514	17.734	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	70.920%
21) 2-Butanone-d5	7.081	46	102481	26.692	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	53.380%
24) Chloroform-d	7.648	84	547287	20.067	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	80.280%
26) 1,2-Dichloroethane-d4	8.307	65	317333	21.084	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	84.320%
32) Benzene-d6	8.276	84	1110577	23.716	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	94.880%
36) 1,2-Dichloropropane-d6	9.276	67	360226	24.696	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	98.800%
41) Toluene-d8	10.325	98	912992	22.713	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	90.840%
43) trans-1,3-Dichloroprop...	10.575	79	119284	19.806	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	79.240%
47) 2-Hexanone-d5	10.922	63	42142	27.496	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	55.000%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	244312	21.209	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	84.840%
66) 1,2-Dichlorobenzene-d4	13.849	152	160942	20.468	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	81.880%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081123\
Data File : VW026713.D
Acq On : 11 Aug 2023 16:23
Operator : SY/MD
Sample : 03967-18
Misc : 5.50g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
A48M4

Quant Time: Aug 12 00:44:44 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081023SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Aug 12 00:39:51 2023
Response via : Initial Calibration

