

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW081219\
 Data File : VW011816.D
 Acq On : 09 Aug 2019 16:50
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 11 01:35:26 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W072719S.M
 Quant Title : SW846 8260
 QLast Update : Sat Jul 27 00:23:30 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	90	0.00
2 T	Dichlorodifluoromethane	0.279	0.301	-7.9	94	0.00
3 P	Chloromethane	0.483	0.469	2.9	90	0.00
4 C	Vinyl Chloride	0.582	0.606	-4.1#	90	0.00
5 T	Bromomethane	0.322	0.319	0.9	88	0.00
6 T	Chloroethane	0.332	0.346	-4.2	89	0.00
7 T	Trichlorofluoromethane	0.260	0.318	-22.3#	102	0.00
8 T	Diethyl Ether	0.295	0.297	-0.7	85	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.493	0.541	-9.7	93	0.00
10 T	Methyl Iodide	0.697	0.725	-4.0	86	0.00
11 T	Tert butyl alcohol	0.048	0.039	18.8	82	-0.02
12 CM	1,1-Dichloroethene	0.521	0.557	-6.9#	91	0.00
13 T	Acrolein	0.041	0.039	4.9	88	0.00
14 T	Allyl chloride	1.108	1.207	-8.9	92	0.00
15 T	Acrylonitrile	0.147	0.150	-2.0	86	0.00
16 T	Acetone	0.183	0.177	3.3	82	0.00
17 T	Carbon Disulfide	1.630	1.696	-4.0	87	0.00
18 T	Methyl Acetate	0.410	0.415	-1.2	85	0.00
19 T	Methyl tert-butyl Ether	0.826	0.856	-3.6	85	0.00
20 T	Methylene Chloride	0.630	0.617	2.1	89	0.00
21 T	trans-1,2-Dichloroethene	0.561	0.593	-5.7	91	0.00
22 T	Diisopropyl ether	2.088	2.190	-4.9	89	0.00
23 T	Vinyl Acetate	1.312	1.376	-4.9	86	0.00
24 P	1,1-Dichloroethane	1.118	1.196	-7.0	91	0.00
25 T	2-Butanone	0.239	0.229	4.2	79	0.00
26 T	2,2-Dichloropropane	0.688	0.676	1.7	90	0.00
27 T	cis-1,2-Dichloroethene	0.618	0.638	-3.2	89	0.00
28 T	Bromochloromethane	0.496	0.547	-10.3	103	0.00
29 T	Tetrahydrofuran	0.137	0.139	-1.5	84	0.00
30 C	Chloroform	1.032	1.077	-4.4#	91	0.00
31 T	Cyclohexane	1.073	1.115	-3.9	91	0.00
32 T	1,1,1-Trichloroethane	0.786	0.864	-9.9	93	0.00
33 S	1,2-Dichloroethane-d4	0.574	0.605	-5.4	93	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	88	0.00
35 S	Dibromofluoromethane	0.281	0.306	-8.9	92	0.00
36 T	1,1-Dichloropropene	0.520	0.576	-10.8	91	0.00
37 T	Ethyl Acetate	0.299	0.308	-3.0	83	0.00
38 T	Carbon Tetrachloride	0.445	0.507	-13.9	93	0.00
39 T	Methylcyclohexane	0.572	0.638	-11.5	91	0.00
40 TM	Benzene	1.456	1.564	-7.4	90	0.00
41 T	Methacrylonitrile	0.179	0.193	-7.8	89	0.00
42 TM	1,2-Dichloroethane	0.456	0.490	-7.5	89	0.00
43 T	Isopropyl Acetate	0.550	0.584	-6.2	85	0.00
44 TM	Trichloroethene	0.350	0.380	-8.6	90	0.00
45 C	1,2-Dichloropropane	0.390	0.418	-7.2#	88	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW081219\
 Data File : VW011816.D
 Acq On : 09 Aug 2019 16:50
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 11 01:35:26 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W072719S.M
 Quant Title : SW846 8260
 QLast Update : Sat Jul 27 00:23:30 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.178	0.190	-6.7	88	0.00
47 T	Bromodichloromethane	0.467	0.507	-8.6	89	0.00
48 T	Methyl methacrylate	0.264	0.281	-6.4	84	0.00
49 T	1,4-Dioxane	0.003	0.003	0.0	82	0.00
50 S	Toluene-d8	1.148	1.235	-7.6	91	0.00
51 T	4-Methyl-2-Pentanone	0.286	0.302	-5.6	84	0.00
52 CM	Toluene	0.879	0.947	-7.7#	89	0.00
53 T	t-1,3-Dichloropropene	0.487	0.526	-8.0	87	0.00
54 T	cis-1,3-Dichloropropene	0.579	0.626	-8.1	87	0.00
55 T	1,1,2-Trichloroethane	0.252	0.266	-5.6	86	0.00
56 T	Ethyl methacrylate	0.369	0.395	-7.0	84	0.00
57 T	1,3-Dichloropropane	0.477	0.502	-5.2	85	0.00
58 T	2-Chloroethyl Vinyl ether	0.168	0.196	-16.7	92	0.00
59 T	2-Hexanone	0.202	0.215	-6.4	82	0.00
60 T	Dibromochloromethane	0.280	0.300	-7.1	86	0.00
61 T	1,2-Dibromoethane	0.239	0.246	-2.9	84	0.00
62 S	4-Bromofluorobenzene	0.409	0.436	-6.6	90	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	87	0.00
64 T	Tetrachloroethene	0.326	0.350	-7.4	90	0.00
65 PM	Chlorobenzene	1.005	1.077	-7.2	88	0.00
66 T	1,1,1,2-Tetrachloroethane	0.350	0.385	-10.0	89	0.00
67 C	Ethyl Benzene	1.915	2.123	-10.9#	90	0.00
68 T	m/p-Xylenes	0.696	0.760	-9.2	89	0.00
69 T	o-Xylene	0.647	0.709	-9.6	88	0.00
70 T	Styrene	1.119	1.233	-10.2	88	0.00
71 P	Bromoform	0.179	0.194	-8.4	84	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	88	0.00
73 T	Isopropylbenzene	3.730	4.074	-9.2	90	0.00
74 T	N-amyl acetate	1.168	1.266	-8.4	85	0.00
75 P	1,1,2,2-Tetrachloroethane	0.702	0.731	-4.1	84	0.00
76 T	1,2,3-Trichloropropane	0.529	0.522	1.3	86	0.00
77 T	Bromobenzene	0.824	0.879	-6.7	87	0.00
78 T	n-propylbenzene	4.540	4.993	-10.0	90	0.00
79 T	2-Chlorotoluene	2.615	2.825	-8.0	90	0.00
80 T	1,3,5-Trimethylbenzene	3.127	3.438	-9.9	89	0.00
81 T	trans-1,4-Dichloro-2-butene	0.230	0.253	-10.0	86	0.00
82 T	4-Chlorotoluene	2.744	2.925	-6.6	88	0.00
83 T	tert-Butylbenzene	2.615	2.892	-10.6	90	0.00
84 T	1,2,4-Trimethylbenzene	3.150	3.421	-8.6	89	0.00
85 T	sec-Butylbenzene	3.731	4.123	-10.5	90	0.00
86 T	p-Isopropyltoluene	3.385	3.727	-10.1	90	0.00
87 T	1,3-Dichlorobenzene	1.617	1.707	-5.6	87	0.00
88 T	1,4-Dichlorobenzene	1.608	1.692	-5.2	88	0.00
89 T	n-Butylbenzene	3.378	3.735	-10.6	90	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW081219\
Data File : VW011816.D
Acq On : 09 Aug 2019 16:50
Operator : SY/VA
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA W/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_W
LabSampleId :
VSTDCCC050

Quant Time: Aug 11 01:35:26 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W072719S.M
Quant Title : SW846 8260
QLast Update : Sat Jul 27 00:23:30 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.599	0.651	-8.7	88	0.00
91 T	1,2-Dichlorobenzene	1.430	1.502	-5.0	87	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.120	0.127	-5.8	84	0.00
93 T	1,2,4-Trichlorobenzene	1.008	1.056	-4.8	85	0.00
94 T	Hexachlorobutadiene	0.628	0.683	-8.8	90	0.00
95 T	Naphthalene	1.787	1.935	-8.3	82	0.00
96 T	1,2,3-Trichlorobenzene	0.883	0.924	-4.6	85	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6