

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW081219\
 Data File : VW011821.D
 Acq On : 09 Aug 2019 20:00
 Operator : SY/VA
 Sample : K4227-03
 Misc : 4.39G/5ML/MSVOA W/SOIL
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 1S-I(1)

Quant Time: Aug 11 01:45:15 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W072719S.M
 Quant Title : SW846 8260
 QLast Update : Sat Jul 27 00:23:30 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	205838	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	339679	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	284970	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.56	152	112572	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.31	65	133273	56.39	ug/l	0.00
Spiked Amount 50.000			Recovery	=	112.78%	
35) Dibromofluoromethane	7.88	113	105167	55.19	ug/l	0.00
Spiked Amount 50.000			Recovery	=	110.38%	
50) Toluene-d8	10.32	98	421303	54.00	ug/l	0.00
Spiked Amount 50.000			Recovery	=	108.00%	
62) 4-Bromofluorobenzene	12.62	95	132267	47.55	ug/l	0.00
Spiked Amount 50.000			Recovery	=	95.10%	
Target Compounds						
16) Acetone	4.14	43	49258	65.515	ug/l	Qvalue 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW081219\
Data File : VW011821.D
Acq On : 09 Aug 2019 20:00
Operator : SY/VA
Sample : K4227-03
Misc : 4.39G/5ML/MSVOA W/SOIL
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
1S-I(1)

Quant Time: Aug 11 01:45:15 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W072719S.M
Quant Title : SW846 8260
QLast Update : Sat Jul 27 00:23:30 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 991

Delta R.T. -0.00 min

Lab File: VW011821.D

Acq: 09 Aug 2019 20:00

Instrument :

MSVOA_W

ClientSampled :


1S-I(1)

Tot Ion:168 Resp: 205838

Ion Ratio Lower Upper




168 100

99 61.6 48.2 72.4



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW



#16

Acetone

Concen: 65.515 ug/l

RT: 4.14 min Scan# 366

Delta R.T. 0.02 min

Lab File: VW011821.D


Acq: 09 Aug 2019 20:00

Tgt Ion: 43 Resp: 49258

Ion Ratio Lower Upper



43 100


58 27.4 22.3 33.5



Abundance Ion 43.00 (42.70 to 43.70): VW

Ion 58.00 (57.70 to 58.70): VW









#33
 1,2-Dichloroethane-d4
 Concen: 56.386 ug/l
 RT: 8.31 min Scan# 1050
 Delta R.T. -0.00 min
 Lab File: VW011821.D
 Acq: 09 Aug 2019 20:00




Instrument :
 MSVOA_W
 ClientSampleId :
 1S-I(1)


Tot Ion: 65 Resp: 133273
 Ion Ratio Lower Upper
 65 100
 67 51.8 0.0 105.2



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.84 min Scan# 1138
 Delta R.T. -0.00 min
 Lab File: VW011821.D
 Acq: 09 Aug 2019 20:00

Tgt Ion: 114 Resp: 339679
 Ion Ratio Lower Upper
 114 100
 63 24.5 0.0 49.2
 88 16.9 0.0 33.8





#35

Dibromofluoromethane

Concen: 55.187 ug/l

RT: 7.88 min Scan# 981

Delta R.T. -0.00 min

Lab File: VW011821.D

Acq: 09 Aug 2019 20:00

Instrument :

MSVOA_W

ClientSampled :

1S-I(1)


Tot Ion:113 Resp: 105167

Ion Ratio Lower Upper

113 100

111 101.8 82.7 124.1




192 20.2 16.1 24.1



Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V



#50

Toluene-d8

Concen: 53.997 ug/l

RT: 10.32 min Scan# 1381

Delta R.T. -0.00 min

Lab File: VW011821.D


Acq: 09 Aug 2019 20:00

Tgt Ion: 98 Resp: 421303

Ion Ratio Lower Upper



98 100


100 64.8 52.7 79.1



Abundance Ion 98.00 (97.70 to 98.70): VW

Ion 100.00 (99.70 to 100.70): VW









#62
4-Bromofluorobenzene
Concen: 47.549 ug/l
RT: 12.62 min Scan# 1757
Delta R.T. -0.00 min
Lab File: VW011821.D
Acq: 09 Aug 2019 20:00




Instrument :
MSVOA_W
ClientSampleId :
1S-I(1)


Tot Ion: 95 Resp: 132267
Ion Ratio Lower Upper
95 100
174 75.1 0.0 150.2
176 71.8 0.0 144.4



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.63 min Scan# 1596
Delta R.T. -0.00 min
Lab File: VW011821.D
Acq: 09 Aug 2019 20:00

Tgt Ion: 117 Resp: 284970
Ion Ratio Lower Upper
117 100
82 60.1 47.9 71.9
119 31.6 26.2 39.2





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.56 min Scan# 1912

Delta R.T. -0.00 min

Lab File: VW011821.D

Acq: 09 Aug 2019 20:00

Instrument :

MSVOA_W

ClientSampleId :

1S-I-(1)


Tot Ion:152 Resp: 112572

Ion Ratio Lower Upper

152 100

115 59.6 30.5 91.5

150 156.2 0.0 352.6



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

