

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW081220\
 Data File : VW016166.D
 Acq On : 12 Aug 2020 17:24
 Operator : SY/VA
 Sample : L3628-07MSD
 Misc : 5.94G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GAYB1MSD

Quant Time: Aug 13 02:56:47 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081020S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Aug 13 01:23:48 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	439465	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	401651	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	163821	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	102830	18.87	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	75.48%
7) Chloroethane-d5	2.89	69	76970	18.61	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	74.44%
10) 1,1-Dichloroethene-d2	4.01	63	229339	19.82	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	79.28%
20) 2-Butanone-d5	7.08	46	69298	48.34	ug/L	-0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	96.68%
24) Chloroform-d	7.65	84	243356	20.63	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	82.52%
26) 1,2-Dichloroethane-d4	8.31	65	130315	20.80	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	83.20%
29) Benzene-d6	8.27	84	473461	21.67	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	86.68%
33) 1,2-Dichloropropane-d6	9.27	67	141248	21.98	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	87.92%
37) Toluene-d8	10.32	98	435848	21.75	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	87.00%
38) trans-1,3-Dichloropropene-	10.58	79	61724	21.37	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	85.48%
39) 2-Hexanone-d5	10.93	63	60004	54.14	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	108.28%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	131021	25.05	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	100.20%
61) 1,2-Dichlorobenzene-d4	13.85	152	142945	24.62	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	98.48%

Target Compounds

					Ovalue
12) 1,1-Dichloroethene	4.04	96	111381	19.747 ug/L	94
13) Acetone	4.13	43	22189	20.459 ug/L	95
34) Benzene	8.32	78	520566	22.475 ug/L	100
35) Trichloroethene	9.09	95	135663	21.783 ug/L	98
44) Toluene	10.39	91	569082	23.275 ug/L	100
52) Chlorobenzene	11.66	112	363980	22.499 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW081220\
Data File : VW016166.D
Acq On : 12 Aug 2020 17:24
Operator : SY/VA
Sample : L3628-07MSD
Misc : 5.94G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GAYB1MSD

Quant Time: Aug 13 02:56:47 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081020S.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 13 01:23:48 2020
Response via : Initial Calibration

