

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW081220\
 Data File : VW016164.D
 Acq On : 12 Aug 2020 16:36
 Operator : SY/VA
 Sample : L3628-05
 Misc : 5.83G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GAYB1

Quant Time: Aug 13 02:52:44 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081020S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Aug 13 01:23:48 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	359452	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	339504	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	130432	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	82748	18.57	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	74.28%
7) Chloroethane-d5	2.89	69	62066	18.35	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	73.40%
10) 1,1-Dichloroethene-d2	4.01	63	137974	14.58	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	58.32%
20) 2-Butanone-d5	7.09	46	71307	60.81	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	121.62%
24) Chloroform-d	7.65	84	204251	21.17	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	84.68%
26) 1,2-Dichloroethane-d4	8.31	65	119414	23.31	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	93.24%
29) Benzene-d6	8.27	84	389270	21.08	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	84.32%
33) 1,2-Dichloropropane-d6	9.27	67	120615	22.21	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	88.84%
37) Toluene-d8	10.32	98	343558	20.28	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	81.12%
38) trans-1,3-Dichloropropene-	10.58	79	54633	22.38	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	89.52%
39) 2-Hexanone-d5	10.93	63	61405	65.54	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	131.08%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	128244	29.00	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	116.00%
61) 1,2-Dichlorobenzene-d4	13.86	152	111310	24.08	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	96.32%


Target Compounds					Ovalue
13) Acetone	4.14	43	19598	22.092 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW081220\
Data File : VW016164.D
Acq On : 12 Aug 2020 16:36
Operator : SY/VA
Sample : L3628-05
Misc : 5.83G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GAYB1

Quant Time: Aug 13 02:52:44 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081020S.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 13 01:23:48 2020
Response via : Initial Calibration





#13

Acetone

Concen: 22.092 ug/L

RT: 4.14 min Scan# 366

Delta R.T. -0.02 min

Lab File: VW016164.D

Acq: 12 Aug 2020 16:36

Instrument :
MSVOA_W
ClientSampleId :
GAYB1

Tot Ion: 43 Resp: 19598

Ion Ratio Lower Upper

43 100

58 33.6 0.0 59.4

