


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081221\
Data File : VW019716.D
Acq On : 12 Aug 2021 09:46
Operator : SY/VA
Sample : M3264-08
Misc : 5.02g/10mL/MSVOA_W/SOIL
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK001

Manual Integrations
APPROVED

MMDadoda
8/13/2021 3:48:48 PM

Quant Time: Aug 13 02:02:17 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081121SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Aug 13 02:01:28 2021
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081221\
 Data File : VW019716.D
 Acq On : 12 Aug 2021 09:46
 Operator : SY/VA
 Sample : M3264-08
 Misc : 5.02g/10mL/MSVOA_W/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK001

Manual Integrations
 APPROVED

MMDadoda
 8/13/2021 3:48:48 PM

Quant Time: Aug 13 02:02:17 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081121SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Aug 13 02:01:28 2021
 Response via : Initial Calibration



TIC: VW019716.D\data.ms

(13) Acetone (T)

4.135min (+ 0.012) 1.68 ug/L

response 1272

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	26.90	4.17
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081221\
 Data File : VW019716.D
 Acq On : 12 Aug 2021 09:46
 Operator : SY/VA
 Sample : M3264-08
 Misc : 5.02g/10mL/MSVOA_W/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK001

Manual Integrations
 APPROVED

MMDadoda
 8/13/2021 3:48:48 PM

Quant Time: Aug 13 02:02:17 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081121SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Aug 13 02:01:28 2021
 Response via : Initial Calibration



TIC: VW019716.D\data.ms

(13) Acetone (T)

4.135min (+ 0.012) 3.86 ug/L m

response 2912

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	26.90	1.82
0.00	0.00	0.00
0.00	0.00	0.00

Handwritten: 7 mg / 8/19/21

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081221\
 Data File : VW019716.D
 Acq On : 12 Aug 2021 09:46
 Operator : SY/VA
 Sample : M3264-08
 Misc : 5.02g/10mL/MSVOA_W/SOIL
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK001

Manual Integrations
 APPROVED

MMDadoda
 8/13/2021 3:48:48 PM

Quant Time: Aug 13 02:02:17 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081121SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Aug 13 02:01:28 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	240855	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	240370	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	117676	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.361	65	60559	21.532	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	86.120%	
7) Chloroethane-d5	2.897	69	80677	29.021	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	116.080%	
11) 1,1-Dichloroethene-d2	4.025	63	104414	18.043	ug/L	0.00
Spiked Amount	25.000	Range 45 - 110	Recovery	=	72.160%	
21) 2-Butanone-d5	7.086	46	54957	59.831	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	119.660%	
24) Chloroform-d	7.653	84	173860	23.877	ug/L	0.00
Spiked Amount	25.000	Range 40 - 150	Recovery	=	95.520%	
26) 1,2-Dichloroethane-d4	8.305	65	106532	25.132	ug/L	0.00
Spiked Amount	25.000	Range 70 - 130	Recovery	=	100.520%	
32) Benzene-d6	8.274	84	340674	21.406	ug/L	0.00
Spiked Amount	25.000	Range 20 - 135	Recovery	=	85.640%	
36) 1,2-Dichloropropane-d6	9.274	67	109738	22.920	ug/L	0.00
Spiked Amount	25.000	Range 70 - 120	Recovery	=	91.680%	
41) Toluene-d8	10.323	98	305217	21.024	ug/L	0.00
Spiked Amount	25.000	Range 30 - 130	Recovery	=	84.080%	
43) trans-1,3-Dichloroprop...	10.579	79	46436	23.490	ug/L	0.00
Spiked Amount	25.000	Range 30 - 135	Recovery	=	93.960%	
47) 2-Hexanone-d5	10.926	63	42617	50.738	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	101.480%	
56) 1,1,2,2-Tetrachloroeth...	12.694	84	99889	24.044	ug/L	0.00
Spiked Amount	25.000	Range 45 - 120	Recovery	=	96.160%	
66) 1,2-Dichlorobenzene-d4	13.853	152	115673	26.652	ug/L	0.00
Spiked Amount	25.000	Range 75 - 120	Recovery	=	106.600%	
Target Compounds						
13) Acetone	4.135	43	2912m	3.857	ug/L	Qvalue
16) Methylene chloride	4.921	84	15954	3.964	ug/L	92
42) Toluene	10.390	91	5563	0.318	ug/L	96

> MD
 8/19/21

(#) = qualifier out of range (m) = manual integration (+) = signals summed