


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081221\
Data File : VW019721.D
Acq On : 12 Aug 2021 12:27
Operator : SY/VA
Sample : M3365-05
Misc : 5.51g/10mL/MSVOA_W/SOIL
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DBK87

Manual Integrations
APPROVED

MMDadoda
8/13/2021 3:49:02 PM

Quant Time: Aug 13 02:03:18 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081121SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Aug 13 02:01:28 2021
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081221\
 Data File : VW019721.D
 Acq On : 12 Aug 2021 12:27
 Operator : SY/VA
 Sample : M3365-05
 Misc : 5.51g/10mL/MSVOA_W/SOIL
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_W
ClientSampleId :
 DBK87

Manual Integrations
APPROVED

MMDadoda
 8/13/2021 3:49:02 PM

Quant Time: Aug 13 02:03:18 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081121SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Aug 13 02:01:28 2021
 Response via : Initial Calibration



TIC: VW019721.D\data.ms

(13) Acetone (T)

4.135min (+ 0.012) 1.54 ug/L

response 1483

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	26.90	36.55
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081221\
 Data File : VW019721.D
 Acq On : 12 Aug 2021 12:27
 Operator : SY/VA
 Sample : M3365-05
 Misc : 5.51g/10mL/MSVOA_W/SOIL
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DBK87

Manual Integrations
 APPROVED

MMDadoda
 8/13/2021 3:49:02 PM

Quant Time: Aug 13 02:03:18 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081121SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Aug 13 02:01:28 2021
 Response via : Initial Calibration



TIC: VW019721.D\data.ms

(13) Acetone (T)

4.135min (+ 0.012) 3.04 ug/L m

response 2933

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	26.90	18.48
0.00	0.00	0.00
0.00	0.00	0.00

7 MB
 8/19/21

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081221\
 Data File : VW019721.D
 Acq On : 12 Aug 2021 12:27
 Operator : SY/VA
 Sample : M3365-05
 Misc : 5.51g/10mL/MSVOA_W/SOIL
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DBK87

Manual Integrations
 APPROVED

MMDadoda
 8/13/2021 3:49:02 PM

Quant Time: Aug 13 02:03:18 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081121SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Aug 13 02:01:28 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	8.848	114	307669	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	283017	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	137639	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.361	65	91047	25.342	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery =	101.360%		
7) Chloroethane-d5	2.897	69	94542	26.623	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery =	106.480%		
11) 1,1-Dichloroethene-d2	4.025	63	123760	16.741	ug/L	0.00
Spiked Amount	25.000	Range 45 - 110	Recovery =	66.960%		
21) 2-Butanone-d5	7.086	46	48912	41.686	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery =	83.380%		
24) Chloroform-d	7.653	84	198318	21.321	ug/L	0.00
Spiked Amount	25.000	Range 40 - 150	Recovery =	85.280%		
26) 1,2-Dichloroethane-d4	8.311	65	112887	20.848	ug/L	0.00
Spiked Amount	25.000	Range 70 - 130	Recovery =	83.400%		
32) Benzene-d6	8.275	84	385682	20.582	ug/L	0.00
Spiked Amount	25.000	Range 20 - 135	Recovery =	82.320%		
36) 1,2-Dichloropropane-d6	9.274	67	122211	21.679	ug/L	0.00
Spiked Amount	25.000	Range 70 - 120	Recovery =	86.720%		
41) Toluene-d8	10.323	98	341638	19.987	ug/L	0.00
Spiked Amount	25.000	Range 30 - 130	Recovery =	79.960%		
43) trans-1,3-Dichloroprop...	10.579	79	47634	20.465	ug/L	0.00
Spiked Amount	25.000	Range 30 - 135	Recovery =	81.840%		
47) 2-Hexanone-d5	10.926	63	38995	39.430	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery =	78.860%		
56) 1,1,2,2-Tetrachloroeth...	12.694	84	97063	19.843	ug/L	0.00
Spiked Amount	25.000	Range 45 - 120	Recovery =	79.360%		
66) 1,2-Dichlorobenzene-d4	13.853	152	118677	23.378	ug/L	0.00
Spiked Amount	25.000	Range 75 - 120	Recovery =	93.520%		
Target Compounds						
13) Acetone	4.135	43	2933m	3.041	ug/L	Qvalue
42) Toluene	10.390	91	8592	0.417	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed