

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW081319\
 Data File : VW011897.D
 Acq On : 13 Aug 2019 16:08
 Operator : SY/VA
 Sample : K4215-10
 Misc : 5.11G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 ETOC1

Quant Time: Aug 14 06:34:33 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM073019S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Aug 14 04:55:20 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	317862	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	244880	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	76044	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	79765	17.82	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	71.28%
7) Chloroethane-d5	2.89	69	68824	21.35	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	85.40%
10) 1,1-Dichloroethene-d2	4.02	63	145888	14.22	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	56.88%
20) 2-Butanone-d5	7.08	46	95089	47.18	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	94.36%
24) Chloroform-d	7.65	84	198175	22.70	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	90.80%
26) 1,2-Dichloroethane-d4	8.31	65	120483	23.32	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	93.28%
29) Benzene-d6	8.27	84	386147	25.08	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	100.32%
33) 1,2-Dichloropropane-d6	9.27	67	135209	27.20	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	108.80%
37) Toluene-d8	10.32	98	312457	22.86	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	91.44%
38) trans-1,3-Dichloropropene-	10.58	79	42350	19.44	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	77.76%
39) 2-Hexanone-d5	10.93	63	59542	51.28	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	102.56%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	101748	24.65	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	98.60%
61) 1,2-Dichlorobenzene-d4	13.85	152	71747	24.48	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	97.92%

Target Compounds

					Ovalue
13) Acetone	4.13	43	22637	10.488	ug/L 79
14) Carbon disulfide	4.39	76	20755	1.396	ug/L 99
16) Methylene chloride	4.91	84	14147	2.852	ug/L 91
21) 2-Butanone	7.18	43	7494	2.769	ug/L 95
22) cis-1,2-Dichloroethene	7.17	96	4698	0.952	ug/L 89

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW081319\
Data File : VW011897.D
Acq On : 13 Aug 2019 16:08
Operator : SY/VA
Sample : K4215-10
Misc : 5.11G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
ETOC1

Quant Time: Aug 14 06:34:33 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM073019S.M
Quant Title : VOC Analysis
QLast Update : Wed Aug 14 04:55:20 2019
Response via : Initial Calibration

