

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW081419\
 Data File : VW011913.D
 Acq On : 14 Aug 2019 12:02
 Operator : SY/VA
 Sample : K4215-23
 Misc : 3.56G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 ETOC7

Quant Time: Aug 16 05:58:07 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM073019S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 16 05:35:58 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	386102	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	318927	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	121929	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	84280	15.50	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	62.00%
7) Chloroethane-d5	2.89	69	71505	18.26	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	73.04%
10) 1,1-Dichloroethene-d2	4.01	63	158953	12.75	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	51.00%
20) 2-Butanone-d5	7.07	46	86361	35.28	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	70.56%
24) Chloroform-d	7.65	84	207633	19.58	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	78.32%
26) 1,2-Dichloroethane-d4	8.31	65	126757	20.20	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	80.80%
29) Benzene-d6	8.27	84	412904	20.59	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	82.36%
33) 1,2-Dichloropropane-d6	9.27	67	141324	21.83	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	87.32%
37) Toluene-d8	10.32	98	344448	19.35	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	77.40%
38) trans-1,3-Dichloropropene-	10.58	79	50845	17.92	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	71.68%
39) 2-Hexanone-d5	10.93	63	55017	36.38	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	72.76%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	101996	18.97	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	75.88%
61) 1,2-Dichlorobenzene-d4	13.85	152	93317	19.86	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	79.44%

Target Compounds					Ovalue
13) Acetone	4.12	43	45071	17.191	ug/L 100
16) Methylene chloride	4.92	84	14107	2.341	ug/L 98
21) 2-Butanone	7.18	43	14585	4.437	ug/L 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW081419\
Data File : VW011913.D
Acq On : 14 Aug 2019 12:02
Operator : SY/VA
Sample : K4215-23
Misc : 3.56G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
ETOC7

Quant Time: Aug 16 05:58:07 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM073019S.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 16 05:35:58 2019
Response via : Initial Calibration

