

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW081419\
 Data File : VW011909.D
 Acq On : 14 Aug 2019 10:00
 Operator : SY/VA
 Sample : VW0814SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK23

Quant Time: Aug 16 05:44:48 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM073019S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 16 05:35:58 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	298307	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	265258	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	120074	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	129752	30.89	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	123.56%
7) Chloroethane-d5	2.89	69	93381	30.86	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	123.44%
10) 1,1-Dichloroethene-d2	4.01	63	215616	22.39	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	89.56%
20) 2-Butanone-d5	7.08	46	96817	51.19	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	102.38%
24) Chloroform-d	7.65	84	231626	28.27	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	113.08%
26) 1,2-Dichloroethane-d4	8.31	65	141905	29.27	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	117.08%
29) Benzene-d6	8.27	84	481392	28.86	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	115.44%
33) 1,2-Dichloropropane-d6	9.27	67	153436	28.49	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	113.96%
37) Toluene-d8	10.32	98	421159	28.45	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	113.80%
38) trans-1,3-Dichloropropene-	10.58	79	64971	27.53	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	110.12%
39) 2-Hexanone-d5	10.93	63	64451	51.24	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	102.48%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	119055	26.62	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	106.48%
61) 1,2-Dichlorobenzene-d4	13.85	152	133091	28.76	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	115.04%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW081419\
Data File : VW011909.D
Acq On : 14 Aug 2019 10:00
Operator : SY/VA
Sample : VW0814SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK23

Quant Time: Aug 16 05:44:48 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM073019S.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 16 05:35:58 2019
Response via : Initial Calibration

