




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081522\
 Data File : VW024241.D
 Acq On : 15 Aug 2022 18:08
 Operator : SY/VA
 Sample : N4210-09
 Misc : 4.70g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BGC52

Manual IntegrationsAPPROVED

Quant Time: Aug 16 01:19:05 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080422SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Aug 16 01:17:17 2022
 Response via : Initial Calibration

Reviewed By :Mahesh Dadoda 08/16/2022
 Supervised By :Semsettin Yesilyurt 08/16/2022



TIC: VW024241.D\data.ms

(13) Acetone (T)

4.129min (+ 0.012) 4.94 ug/L

response 3953

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	15.90	25.35
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081522\
Data File : VW024241.D
Acq On : 15 Aug 2022 18:08
Operator : SY/VA
Sample : N4210-09
Misc : 4.70g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BGC52

Manual IntegrationsAPPROVED

Quant Time: Aug 16 01:19:05 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080422SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Aug 16 01:17:17 2022
Response via : Initial Calibration

Reviewed By :Mahesh Dadoda 08/16/2022
Supervised By :Semsettin Yesilyurt 08/16/2022



TIC: VW024241.D\data.ms

(13) Acetone (T)

4.129min (+ 0.012) 5.65 ug/L m

response 4523

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	15.90	22.15
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081522\
 Data File : VW024241.D
 Acq On : 15 Aug 2022 18:08
 Operator : SY/VA
 Sample : N4210-09
 Misc : 4.70g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BGC52

Manual IntegrationsAPPROVED

Quant Time: Aug 16 01:19:05 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080422SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Aug 16 01:17:17 2022
 Response via : Initial Calibration

Reviewed By :Mahesh Dadoda 08/16/2022
 Supervised By :Semsettin Yesilyurt 08/16/2022

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	279535	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	229407	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	72736	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.343	65	163579	27.996	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	112.000%	
7) Chloroethane-d5	2.873	69	106517	29.264	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	117.040%	
11) 1,1-Dichloroethene-d2	4.007	63	108098	16.233	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110	Recovery	=	64.920%	
21) 2-Butanone-d5	7.080	46	38827	35.718	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	71.440%	
24) Chloroform-d	7.647	84	206265	24.387	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	97.560%	
26) 1,2-Dichloroethane-d4	8.305	65	118922	25.325	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	101.280%	
32) Benzene-d6	8.268	84	388685	28.729	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	114.920%	
36) 1,2-Dichloropropane-d6	9.274	67	121103	30.316	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	121.280%#	
41) Toluene-d8	10.323	98	327115	25.867	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	103.480%	
43) trans-1,3-Dichloroprop...	10.573	79	35934	20.538	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	82.160%	
47) 2-Hexanone-d5	10.926	63	28069	38.042	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	76.080%	
56) 1,1,2,2-Tetrachloroeth...	12.688	84	103154	26.616	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	106.480%	
66) 1,2-Dichlorobenzene-d4	13.853	152	75537	28.379	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	113.520%	
Target Compounds						
13) Acetone	4.129	43	4523m	5.651	ug/L	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081522\
Data File : VW024241.D
Acq On : 15 Aug 2022 18:08
Operator : SY/VA
Sample : N4210-09
Misc : 4.70g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BGC52

Manual IntegrationsAPPROVED

Quant Time: Aug 16 01:19:05 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080422SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Aug 16 01:17:17 2022
Response via : Initial Calibration

Reviewed By :Mahesh Dadoda 08/16/2022
Supervised By :Semsettin Yesilyurt 08/16/2022

