

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081621\
 Data File : VW019743.D
 Acq On : 16 Aug 2021 10:10
 Operator : SY/VA
 Sample : VW0816SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Aug 17 01:52:19 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081121SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Aug 17 01:50:39 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.848	114	334033	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	311456	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	149425	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.361	65	91987	23.582	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	94.320%
7) Chloroethane-d5	2.904	69	96521	25.035	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	100.160%
11) 1,1-Dichloroethene-d2	4.025	63	123552	15.394	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	61.560%
21) 2-Butanone-d5	7.074	46	73526	57.718	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	115.440%
24) Chloroform-d	7.647	84	232363	23.009	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	92.040%
26) 1,2-Dichloroethane-d4	8.397	65	103	0.018	ug/L	0.09
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.080%#
32) Benzene-d6	8.275	84	418182	20.279	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	81.120%
36) 1,2-Dichloropropane-d6	9.274	67	140924	22.716	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	90.880%
41) Toluene-d8	10.323	98	360699	19.175	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	76.720%
43) trans-1,3-Dichloroprop...	10.579	79	56928	22.224	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	88.880%
47) 2-Hexanone-d5	10.927	63	56831	52.218	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	104.440%
56) 1,1,2,2-Tetrachloroeth...	12.695	84	131428	24.415	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	97.680%
66) 1,2-Dichlorobenzene-d4	13.853	152	153225	27.803	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	111.200%
Target Compounds						
16) Methylene chloride	4.922	84	15613	2.797	ug/L	Qvalue 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081621\
Data File : VW019743.D
Acq On : 16 Aug 2021 10:10
Operator : SY/VA
Sample : VW0816SBL01
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Aug 17 01:52:19 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081121SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Aug 17 01:50:39 2021
Response via : Initial Calibration





#16
Methylene chloride
Concen: 2.797 ug/L
RT: 4.922 min Scan# 495
Delta R.T. -0.000 min
Lab File: VW019743.D
Acq: 16 Aug 2021 10:10

Instrument :
MSVOA_W
ClientSampled :

Tgt Ion: 84 Resp: 15613
Ion Ratio Lower Upper
84 100
86 63.4 45.3 84.1
49 116.5 86.6 160.8

