

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW081719\
 Data File : VW011975.D
 Acq On : 16 Aug 2019 19:34
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 17 05:44:59 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W072719S.M
 Quant Title : SW846 8260
 QLast Update : Sat Jul 27 00:23:30 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	87	0.00
2 T	Dichlorodifluoromethane	0.279	0.269	3.6	81	0.00
3 P	Chloromethane	0.483	0.464	3.9	86	0.00
4 C	Vinyl Chloride	0.582	0.579	0.5#	83	0.00
5 T	Bromomethane	0.322	0.297	7.8	79	-0.04
6 T	Chloroethane	0.332	0.351	-5.7	87	-0.01
7 T	Trichlorofluoromethane	0.260	0.277	-6.5	86	-0.01
8 T	Diethyl Ether	0.295	0.309	-4.7	85	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.493	0.519	-5.3	85	-0.01
10 T	Methyl Iodide	0.697	0.758	-8.8	87	-0.01
11 T	Tert butyl alcohol	0.048	0.043	10.4	87	0.00
12 CM	1,1-Dichloroethene	0.521	0.536	-2.9#	84	0.00
13 T	Acrolein	0.041	0.032	22.0#	69	0.00
14 T	Allyl chloride	1.108	1.171	-5.7	86	0.00
15 T	Acrylonitrile	0.147	0.159	-8.2	87	0.00
16 T	Acetone	0.183	0.141	23.0#	63	0.00
17 T	Carbon Disulfide	1.630	1.559	4.4	77	0.00
18 T	Methyl Acetate	0.410	0.437	-6.6	86	0.00
19 T	Methyl tert-butyl Ether	0.826	0.915	-10.8	88	0.00
20 T	Methylene Chloride	0.630	0.620	1.6	86	0.00
21 T	trans-1,2-Dichloroethene	0.561	0.592	-5.5	87	0.00
22 T	Diisopropyl ether	2.088	2.308	-10.5	90	0.00
23 T	Vinyl Acetate	1.312	1.390	-5.9	84	0.00
24 P	1,1-Dichloroethane	1.118	1.215	-8.7	89	0.00
25 T	2-Butanone	0.239	0.221	7.5	73	0.00
26 T	2,2-Dichloropropane	0.688	0.611	11.2	78	0.00
27 T	cis-1,2-Dichloroethene	0.618	0.663	-7.3	89	0.00
28 T	Bromochloromethane	0.496	0.516	-4.0	94	0.00
29 T	Tetrahydrofuran	0.137	0.145	-5.8	84	0.00
30 C	Chloroform	1.032	1.101	-6.7#	89	0.00
31 T	Cyclohexane	1.073	1.053	1.9	83	0.00
32 T	1,1,1-Trichloroethane	0.786	0.860	-9.4	89	0.00
33 S	1,2-Dichloroethane-d4	0.574	0.592	-3.1	87	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	89	0.00
35 S	Dibromofluoromethane	0.281	0.295	-5.0	89	0.00
36 T	1,1-Dichloropropene	0.520	0.541	-4.0	87	0.00
37 T	Ethyl Acetate	0.299	0.300	-0.3	82	0.00
38 T	Carbon Tetrachloride	0.445	0.454	-2.0	84	0.00
39 T	Methylcyclohexane	0.572	0.603	-5.4	87	0.00
40 TM	Benzene	1.456	1.530	-5.1	89	0.00
41 T	Methacrylonitrile	0.179	0.185	-3.4	86	0.00
42 TM	1,2-Dichloroethane	0.456	0.468	-2.6	86	0.00
43 T	Isopropyl Acetate	0.550	0.573	-4.2	85	0.00
44 TM	Trichloroethene	0.350	0.370	-5.7	89	0.00
45 C	1,2-Dichloropropane	0.390	0.415	-6.4#	88	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW081719\
 Data File : VW011975.D
 Acq On : 16 Aug 2019 19:34
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 17 05:44:59 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W072719S.M
 Quant Title : SW846 8260
 QLast Update : Sat Jul 27 00:23:30 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.178	0.184	-3.4	86	0.00
47 T	Bromodichloromethane	0.467	0.495	-6.0	88	0.00
48 T	Methyl methacrylate	0.264	0.283	-7.2	86	0.00
49 T	1,4-Dioxane	0.003	0.003	0.0	99	0.00
50 S	Toluene-d8	1.148	1.201	-4.6	90	0.00
51 T	4-Methyl-2-Pentanone	0.286	0.298	-4.2	84	0.00
52 CM	Toluene	0.879	0.939	-6.8#	89	0.00
53 T	t-1,3-Dichloropropene	0.487	0.510	-4.7	85	0.00
54 T	cis-1,3-Dichloropropene	0.579	0.614	-6.0	86	0.00
55 T	1,1,2-Trichloroethane	0.252	0.268	-6.3	88	0.00
56 T	Ethyl methacrylate	0.369	0.404	-9.5	86	0.00
57 T	1,3-Dichloropropane	0.477	0.507	-6.3	87	0.00
58 T	2-Chloroethyl Vinyl ether	0.168	0.192	-14.3	91	0.00
59 T	2-Hexanone	0.202	0.205	-1.5	79	0.00
60 T	Dibromochloromethane	0.280	0.301	-7.5	88	0.00
61 T	1,2-Dibromoethane	0.239	0.250	-4.6	86	0.00
62 S	4-Bromofluorobenzene	0.409	0.438	-7.1	91	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	90	0.00
64 T	Tetrachloroethene	0.326	0.349	-7.1	93	0.00
65 PM	Chlorobenzene	1.005	1.065	-6.0	90	0.00
66 T	1,1,1,2-Tetrachloroethane	0.350	0.373	-6.6	88	0.00
67 C	Ethyl Benzene	1.915	2.057	-7.4#	90	0.00
68 T	m/p-Xylenes	0.696	0.736	-5.7	89	0.00
69 T	o-Xylene	0.647	0.701	-8.3	89	0.00
70 T	Styrene	1.119	1.218	-8.8	90	0.00
71 P	Bromoform	0.179	0.186	-3.9	83	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	89	0.00
73 T	Isopropylbenzene	3.730	4.065	-9.0	90	0.00
74 T	N-amyl acetate	1.168	1.295	-10.9	87	0.00
75 P	1,1,2,2-Tetrachloroethane	0.702	0.732	-4.3	85	0.00
76 T	1,2,3-Trichloropropane	0.529	0.518	2.1	86	0.00
77 T	Bromobenzene	0.824	0.894	-8.5	89	0.00
78 T	n-propylbenzene	4.540	4.884	-7.6	89	0.00
79 T	2-Chlorotoluene	2.615	2.794	-6.8	89	0.00
80 T	1,3,5-Trimethylbenzene	3.127	3.431	-9.7	90	0.00
81 T	trans-1,4-Dichloro-2-butene	0.230	0.239	-3.9	81	0.00
82 T	4-Chlorotoluene	2.744	2.880	-5.0	87	0.00
83 T	tert-Butylbenzene	2.615	2.929	-12.0	92	0.00
84 T	1,2,4-Trimethylbenzene	3.150	3.448	-9.5	90	0.00
85 T	sec-Butylbenzene	3.731	4.164	-11.6	92	0.00
86 T	p-Isopropyltoluene	3.385	3.719	-9.9	90	0.00
87 T	1,3-Dichlorobenzene	1.617	1.718	-6.2	88	0.00
88 T	1,4-Dichlorobenzene	1.608	1.678	-4.4	88	0.00
89 T	n-Butylbenzene	3.378	3.688	-9.2	90	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW081719\
Data File : VW011975.D
Acq On : 16 Aug 2019 19:34
Operator : SY/VA
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA W/SOIL
ALS Vial : 26 Sample Multiplier: 1

Instrument :
MSVOA_W
LabSampleId :
VSTDCCC050

Quant Time: Aug 17 05:44:59 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W072719S.M
Quant Title : SW846 8260
QLast Update : Sat Jul 27 00:23:30 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.599	0.649	-8.3	88	0.00
91 T	1,2-Dichlorobenzene	1.430	1.535	-7.3	89	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.120	0.124	-3.3	82	0.00
93 T	1,2,4-Trichlorobenzene	1.008	1.086	-7.7	88	0.00
94 T	Hexachlorobutadiene	0.628	0.695	-10.7	92	0.00
95 T	Naphthalene	1.787	2.053	-14.9	87	0.00
96 T	1,2,3-Trichlorobenzene	0.883	0.957	-8.4	88	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6