

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW081719\
 Data File : VW011964.D
 Acq On : 16 Aug 2019 14:52
 Operator : SY/VA
 Sample : K4366-01
 Misc : 5.74G/5ML/MSVOA W/SOIL
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 PX-1

Quant Time: Aug 17 05:27:43 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W072719S.M
 Quant Title : SW846 8260
 QLast Update : Sat Jul 27 00:23:30 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	230535	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	392324	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	337113	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.56	152	144414	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	8.31	65	157916	59.65	ug/l	0.00
Spiked Amount						
			Recovery	=	119.30%	
35) Dibromofluoromethane	7.88	113	118719	53.94	ug/l	0.00
Spiked Amount						
			Recovery	=	107.88%	
50) Toluene-d8	10.32	98	483228	53.62	ug/l	0.00
Spiked Amount						
			Recovery	=	107.24%	
62) 4-Bromofluorobenzene	12.62	95	205198	63.87	ug/l	0.00
Spiked Amount						
			Recovery	=	127.74%	


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW081719\
Data File : VW011964.D
Acq On : 16 Aug 2019 14:52
Operator : SY/VA
Sample : K4366-01
Misc : 5.74G/5ML/MSVOA W/SOIL
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
PX-1

Quant Time: Aug 17 05:27:43 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W072719S.M
Quant Title : SW846 8260
QLast Update : Sat Jul 27 00:23:30 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 991

Delta R.T. -0.00 min

Lab File: VW011964.D

Acq: 16 Aug 2019 14:52

Instrument :

MSVOA_W

ClientSampled :


PX-1

Tot Ion:168 Resp: 230535

Ion Ratio Lower Upper

168 100

99 60.4 48.2 72.4



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW

7.95

120000

100000

80000



60000

40000

20000

0

Time--> 7.80 7.90 8.00



#33

1,2-Dichloroethane-d4

Concen: 59.654 ug/l

RT: 8.31 min Scan# 1050

Delta R.T. -0.00 min

Lab File: VW011964.D


Acq: 16 Aug 2019 14:52

Tgt Ion: 65 Resp: 157916

Ion Ratio Lower Upper

65 100

67 51.9 0.0 105.2



Abundance Ion 64.90 (64.60 to 65.60): VW

Ion 66.90 (66.60 to 67.60): VW

8.31

80000


60000


40000

20000

0

Time--> 8.20 8.30 8.40





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.84 min Scan# 1138

Delta R.T. -0.00 min

Lab File: VW011964.D

Acq: 16 Aug 2019 14:52

Instrument :

MSVOA_W

ClientSampled :

PX-1


Tot Ion:114 Resp: 392324

Ion Ratio Lower Upper

114 100

63 23.6 0.0 49.2




88 16.5 0.0 33.8



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VW

Ion 87.90 (87.60 to 88.60): VW



#35

Dibromofluoromethane

Concen: 53.938 ug/l

RT: 7.88 min Scan# 981

Delta R.T. -0.00 min

Lab File: VW011964.D

Acq: 16 Aug 2019 14:52


Tgt Ion:113 Resp: 118719

Ion Ratio Lower Upper

113 100

111 103.4 82.7 124.1



192 20.3 16.1 24.1




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 53.623 ug/l

RT: 10.32 min Scan# 1381

Delta R.T. -0.00 min

Lab File: VW011964.D

Acq: 16 Aug 2019 14:52

Instrument :

MSVOA_W

ClientSampleId :


PX-1

Tot Ion: 98 Resp: 483228

Ion Ratio Lower Upper




98 100

100 65.6 52.7 79.1



Abundance Ion 98.00 (97.70 to 98.70): VW

Ion 100.00 (99.70 to 100.70): VW



#62

4-Bromofluorobenzene

Concen: 63.869 ug/l

RT: 12.62 min Scan# 1758

Delta R.T. 0.01 min

Lab File: VW011964.D

Acq: 16 Aug 2019 14:52


Tgt Ion: 95 Resp: 205198

Ion Ratio Lower Upper

95 100

174 59.9 0.0 150.2



176 58.5 0.0 144.4




Abundance Ion 94.90 (94.60 to 95.60): VW

Ion 173.80 (173.50 to 174.50): VW

Ion 175.80 (175.50 to 176.50): VW









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.63 min Scan# 1596
Delta R.T. -0.00 min
Lab File: VW011964.D
Acq: 16 Aug 2019 14:52

Instrument :
MSVOA_W
ClientSampled :
PX-1

Tot Ion:117 Resp: 337113
Ion Ratio Lower Upper
117 100
82 59.9 47.9 71.9
119 32.3 26.2 39.2



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.56 min Scan# 1912
Delta R.T. -0.00 min
Lab File: VW011964.D
Acq: 16 Aug 2019 14:52

Tgt Ion:152 Resp: 144414
Ion Ratio Lower Upper
152 100
115 59.5 30.5 91.5
150 154.4 0.0 352.6

