

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW081720\
 Data File : VW016224.D
 Acq On : 17 Aug 2020 17:34
 Operator : SY/VA
 Sample : L3702-17
 Misc : 5.93G/10ML/MSVOA W/SOIL
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BFWQ1

Quant Time: Aug 18 04:34:09 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081020S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Aug 18 03:20:41 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	418506	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	383109	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	152276	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	85772	16.53	ug/L	-0.01
Spiked Amount	25.000	Range	30 - 150	Recovery	=	66.12%
7) Chloroethane-d5	2.89	69	68762	17.46	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	69.84%
10) 1,1-Dichloroethene-d2	4.01	63	144113	13.08	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	52.32%
20) 2-Butanone-d5	7.08	46	49083	35.95	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	71.90%
24) Chloroform-d	7.65	84	211310	18.81	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	75.24%
26) 1,2-Dichloroethane-d4	8.31	65	108749	18.23	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	72.92%
29) Benzene-d6	8.28	84	420791	20.19	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	80.76%
33) 1,2-Dichloropropane-d6	9.28	67	125638	20.50	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	82.00%
37) Toluene-d8	10.33	98	376270	19.68	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	78.72%
38) trans-1,3-Dichloropropene-	10.59	79	50120	18.20	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	72.80%
39) 2-Hexanone-d5	10.93	63	40465	38.27	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	76.54%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	100836	20.21	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	80.84%
61) 1,2-Dichlorobenzene-d4	13.86	152	125456	23.24	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	92.96%

Target Compounds					Ovalue
13) Acetone	4.12	43	2883	2.791 ug/L	78
16) Methylene chloride	4.92	84	13437	2.033 ug/L	89
47) Tetrachloroethene	10.87	164	142958	32.101 ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW081720\
Data File : VW016224.D
Acq On : 17 Aug 2020 17:34
Operator : SY/VA
Sample : L3702-17
Misc : 5.93G/10ML/MSVOA W/SOIL
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BFWQ1

Quant Time: Aug 18 04:34:09 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081020S.M
Quant Title : VOC Analysis
QLast Update : Tue Aug 18 03:20:41 2020
Response via : Initial Calibration

