

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081822\
 Data File : VW024274.D
 Acq On : 18 Aug 2022 14:58
 Operator : SY/VA
 Sample : VW0818SBL03
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK581

Quant Time: Aug 18 21:05:31 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080422SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Aug 18 01:04:13 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	250455	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	244932	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	120541	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.343	65	109438	20.905	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	83.600%
7) Chloroethane-d5	2.873	69	75962	23.293	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	93.160%
11) 1,1-Dichloroethene-d2	4.001	63	90310	15.137	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	60.560%
21) 2-Butanone-d5	7.080	46	49184	50.498	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	101.000%
24) Chloroform-d	7.641	84	174875	23.076	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	92.320%
26) 1,2-Dichloroethane-d4	8.476	65	216	0.051	ug/L	0.18
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.200%#
32) Benzene-d6	8.275	84	318188	22.027	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.120%
36) 1,2-Dichloropropane-d6	9.268	67	95723	22.444	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	89.760%
41) Toluene-d8	10.323	98	283800	21.019	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	84.080%
43) trans-1,3-Dichloroprop...	10.573	79	39862	21.339	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	85.360%
47) 2-Hexanone-d5	10.921	63	34663	44.001	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	88.000%
56) 1,1,2,2-Tetrachloroeth...	12.689	84	96956	23.431	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	93.720%
66) 1,2-Dichlorobenzene-d4	13.847	152	111721	25.327	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	101.320%
Target Compounds						Qvalue
16) Methylene chloride	4.909	84	20291	4.594	ug/L	90
48) 2-Hexanone	10.921	43	5201	3.229	ug/L #	65


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081822\
Data File : VW024274.D
Acq On : 18 Aug 2022 14:58
Operator : SY/VA
Sample : VW0818SBL03
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK581

Quant Time: Aug 18 21:05:31 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080422SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Aug 18 01:04:13 2022
Response via : Initial Calibration









#16
Methylene chloride
Concen: 4.594 ug/L
RT: 4.909 min Scan# 493
Delta R.T. 0.006 min
Lab File: VW024274.D
Acq: 18 Aug 2022 14:58

Instrument :
MSVOA_W
ClientSampleId :
VBLK581

Tgt Ion:	84	Resp:	20291
Ion	Ratio	Lower	Upper
84	100		
86	65.3	42.8	79.6
49	135.7	85.3	158.3



#48
2-Hexanone
Concen: 3.229 ug/L
RT: 10.921 min Scan# 1479
Delta R.T. -0.043 min
Lab File: VW024274.D
Acq: 18 Aug 2022 14:58

Tgt Ion:	43	Resp:	5201
Ion	Ratio	Lower	Upper
43	100		
58	31.0	43.4	65.0#
57	42.5	15.0	22.4#
100	4.2	10.8	16.2#

