




Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW082020\
Data File : VW016262.D
Acq On : 20 Aug 2020 12:42
Operator : SY/VA
Sample : L3767-06
Misc : 6.05G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BFSR4

Manual Integrations
APPROVED

MMDadoda
8/21/2020 11:27:05 AM

Quant Time: Aug 21 03:30:02 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081020S.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 21 03:27:50 2020
Response via : Initial Calibration



TIC: VW016262.D

(16) Methylene chloride (T)

4.916min (+0.006) 8.99ug/L

response 3979

Ion	Exp%	Act%
84.00	100	100
49.00	114.90	99.53
86.00	62.50	58.92
0.00	0.00	0.00




Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW082020\
Data File : VW016262.D
Acq On : 20 Aug 2020 12:42
Operator : SY/VA
Sample : L3767-06
Misc : 6.05G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BFSR4

Manual Integrations
APPROVED

MMDadoda
8/21/2020 11:27:05 AM

Quant Time: Aug 21 03:30:02 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081020S.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 21 03:27:50 2020
Response via : Initial Calibration



TIC: VW016262.D

(16) Methylene chloride (T)

4.934min (+0.024) 17.28ug/L m

response 7645

Ion	Exp%	Act%
84.00	100	100
49.00	114.90	88.80
86.00	62.50	51.94
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW082020\
 Data File : VW016262.D
 Acq On : 20 Aug 2020 12:42
 Operator : SY/VA
 Sample : L3767-06
 Misc : 6.05G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BFSR4

Manual Integrations
 APPROVED

MMDadoda
 8/21/2020 11:27:05 AM

Quant Time: Aug 21 03:48:29 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081020S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 21 03:27:50 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	28025	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	27355	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	8413	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	8199	23.60	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	94.40%
7) Chloroethane-d5	2.89	69	7347	27.86	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	111.44%
10) 1,1-Dichloroethene-d2	4.03	63	13629	18.47	ug/L	0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	73.88%
20) 2-Butanone-d5	7.09	46	4526	49.50	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	99.00%
24) Chloroform-d	7.65	84	20277	26.96	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	107.84%
26) 1,2-Dichloroethane-d4	8.31	65	10031	25.11	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	100.44%
29) Benzene-d6	8.28	84	35317	23.73	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	94.92%
33) 1,2-Dichloropropane-d6	9.27	67	10982	25.10	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	100.40%
37) Toluene-d8	10.32	98	27378	20.06	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	80.24%
38) trans-1,3-Dichloropropene-	10.59	79	4085	20.77	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	83.08%
39) 2-Hexanone-d5	10.93	63	2771	36.71	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	73.42%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	9812	27.54	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	110.16%
61) 1,2-Dichlorobenzene-d4	13.86	152	8734	29.29	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	117.16%

Target Compounds					Ovalue
16) Methylene chloride	4.93	84	7645m	17.276	ug/L
47) Tetrachloroethene	10.87	164	2772	8.717	ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW082020\
Data File : VW016262.D
Acq On : 20 Aug 2020 12:42
Operator : SY/VA
Sample : L3767-06
Misc : 6.05G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BFSR4

Manual Integrations
APPROVED

MMDadoda
8/21/2020 11:27:05 AM

Quant Time: Aug 21 03:48:29 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081020S.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 21 03:27:50 2020
Response via : Initial Calibration

