

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW082020\
 Data File : VW016268.D
 Acq On : 20 Aug 2020 15:43
 Operator : SY/VA
 Sample : VIBLK20
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK20

Quant Time: Aug 21 04:32:51 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081020S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 21 03:27:50 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	354553	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	330685	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	149839	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	68587	15.60	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	62.40%
7) Chloroethane-d5	2.89	69	58461	17.52	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	70.08%
10) 1,1-Dichloroethene-d2	4.02	63	128398	13.75	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	55.00%
20) 2-Butanone-d5	7.08	46	57350	49.58	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	99.16%
24) Chloroform-d	7.65	84	197513	20.76	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	83.04%
26) 1,2-Dichloroethane-d4	8.31	65	106808	21.13	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	84.52%
29) Benzene-d6	8.27	84	381610	21.21	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	84.84%
33) 1,2-Dichloropropane-d6	9.27	67	111438	21.07	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	84.28%
37) Toluene-d8	10.33	98	349423	21.18	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	84.72%
38) trans-1,3-Dichloropropene-	10.58	79	49902	20.99	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	83.96%
39) 2-Hexanone-d5	10.93	63	45754	50.14	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	100.28%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	108197	25.12	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	100.48%
61) 1,2-Dichlorobenzene-d4	13.85	152	129950	24.47	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	97.88%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	34500	6.162 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW082020\
Data File : VW016268.D
Acq On : 20 Aug 2020 15:43
Operator : SY/VA
Sample : VIBLK20
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK20

Quant Time: Aug 21 04:32:51 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081020S.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 21 03:27:50 2020
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 6.162 ug/L
 RT: 4.92 min Scan# 495
 Delta R.T. 0.01 min
 Lab File: VW016268.D
 Acq: 20 Aug 2020 15:43

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK20

Tot Ion	Ratio	Lower	Upper
84	100		
49	107.8	80.4	149.4
86	61.3	43.8	81.3

