

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW082119\  
 Data File : VW012062.D  
 Acq On : 21 Aug 2019 11:00  
 Operator : SY/VA  
 Sample : K4387-07  
 Misc : 3.21G/5ML/MSVOA W/SOIL  
 ALS Vial : 6 Sample Multiplier: 1

Instrument :  
 MSVOA\_W  
 ClientSampleId :  
 T6-D-(0)

Quant Time: Aug 22 05:44:09 2019  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_W\METHOD\82W072719S.M  
 Quant Title : SW846 8260  
 QLast Update : Sat Jul 27 00:23:30 2019  
 Response via : Initial Calibration

| Internal Standards          | R.T.  | QIon | Response | Conc   | Units   | Dev(Min) |
|-----------------------------|-------|------|----------|--------|---------|----------|
| 1) Pentafluorobenzene       | 7.95  | 168  | 215791   | 50.00  | ug/l    | 0.00     |
| 34) 1,4-Difluorobenzene     | 8.84  | 114  | 362825   | 50.00  | ug/l    | 0.00     |
| 63) Chlorobenzene-d5        | 11.63 | 117  | 276259   | 50.00  | ug/l    | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 13.56 | 152  | 86023    | 50.00  | ug/l    | 0.00     |
| System Monitoring Compounds |       |      |          |        |         |          |
| 33) 1,2-Dichloroethane-d4   | 8.31  | 65   | 136280   | 55.00  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 110.00% |          |
| 35) Dibromofluoromethane    | 7.88  | 113  | 110737   | 54.40  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 108.80% |          |
| 50) Toluene-d8              | 10.32 | 98   | 422398   | 50.68  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 101.36% |          |
| 62) 4-Bromofluorobenzene    | 12.62 | 95   | 118322   | 39.82  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 79.64%  |          |
| Target Compounds            |       |      |          |        |         |          |
| 20) Methylene Chloride      | 4.92  | 84   | 20048    | 7.375  | ug/l    | 97       |
| 29) Tetrahydrofuran         | 7.54  | 42   | 6736     | 11.426 | ug/l    | 99       |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW082119\  
Data File : VW012062.D  
Acq On : 21 Aug 2019 11:00  
Operator : SY/VA  
Sample : K4387-07  
Misc : 3.21G/5ML/MSVOA W/SOIL  
ALS Vial : 6 Sample Multiplier: 1

Instrument :  
MSVOA\_W  
ClientSampleId :  
T6-D-(0)

Quant Time: Aug 22 05:44:09 2019  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_W\METHOD\82W072719S.M  
Quant Title : SW846 8260  
QLast Update : Sat Jul 27 00:23:30 2019  
Response via : Initial Calibration

