

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW082318\
 Data File : VW004909.D
 Acq On : 23 Aug 2018 21:19
 Operator : SY/AP
 Sample : VW0823SBL02
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Aug 24 07:19:04 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM082218S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 24 07:12:16 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	597339	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.64	117	638870	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	306983	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	246661	21.85	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	87.40%
7) Chloroethane-d5	2.89	69	185655	22.18	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	88.72%
10) 1,1-Dichloroethene-d2	4.02	63	246711	17.11	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	68.44%
20) 2-Butanone-d5	7.09	46	128974	56.13	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	112.26%
24) Chloroform-d	7.65	84	294726	22.22	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	88.88%
26) 1,2-Dichloroethane-d4	8.31	65	165398	22.95	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	91.80%
29) Benzene-d6	8.28	84	679431	20.67	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	82.68%
33) 1,2-Dichloropropane-d6	9.28	67	194465	20.14	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	80.56%
37) Toluene-d8	10.33	98	740178	21.26	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	85.04%
38) trans-1,3-Dichloropropene-	10.59	79	80528	19.38	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	77.52%
39) 2-Hexanone-d5	10.93	63	120257	50.27	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	100.54%
48) 1,1,2,2-Tetrachloroethane-	12.70	84	214758	22.14	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	88.56%
61) 1,2-Dichlorobenzene-d4	13.86	152	288132	23.37	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	93.48%


Target Compounds					Ovalue
59) 1,2,3-Trichloropropane	13.57	75	35268	4.591 ug/L	91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW082318\
Data File : VW004909.D
Acq On : 23 Aug 2018 21:19
Operator : SY/AP
Sample : VW0823SBL02
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Aug 24 07:19:04 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM082218S.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 24 07:12:16 2018
Response via : Initial Calibration





#59

1,2,3-Trichloropropane

Concen: 4.591 ug/L

RT: 13.57 min Scan# 1965

Delta R.T. 0.79 min

Lab File: VW004909.D

Acq: 23 Aug 2018 21:19

Instrument :

MSVOA_W

ClientSampleId :

Tot Ion: 75 Resp: 35268

Ion Ratio Lower Upper

75 100

77 36.5 25.3 37.9

