

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW082318\
 Data File : VW004893.D
 Acq On : 23 Aug 2018 10:39
 Operator : SY/AP
 Sample : VW0823SBL01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK03

Quant Time: Aug 24 05:16:02 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM082218S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 24 05:01:02 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	804115	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.64	117	837998	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	406606	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	325139	21.39	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	85.56%
7) Chloroethane-d5	2.89	69	249427	22.13	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	88.52%
10) 1,1-Dichloroethene-d2	4.03	63	332023	17.11	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	68.44%
20) 2-Butanone-d5	7.09	46	119555	38.65	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	77.30%
24) Chloroform-d	7.65	84	417855	23.41	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	93.64%
26) 1,2-Dichloroethane-d4	8.31	65	227358	23.44	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	93.76%
29) Benzene-d6	8.28	84	977011	22.67	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	90.68%
33) 1,2-Dichloropropane-d6	9.28	67	280917	22.18	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	88.72%
37) Toluene-d8	10.33	98	1052872	23.06	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	92.24%
38) trans-1,3-Dichloropropene-	10.59	79	117311	21.53	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	86.12%
39) 2-Hexanone-d5	10.93	63	116742	37.21	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	74.42%
48) 1,1,2,2-Tetrachloroethane-	12.70	84	254310	19.98	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	79.92%
61) 1,2-Dichlorobenzene-d4	13.87	152	406968	24.92	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	99.68%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW082318\
Data File : VW004893.D
Acq On : 23 Aug 2018 10:39
Operator : SY/AP
Sample : VW0823SBL01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK03

Quant Time: Aug 24 05:16:02 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM082218S.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 24 05:01:02 2018
Response via : Initial Calibration

