

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW082318\
 Data File : VW004907.D
 Acq On : 23 Aug 2018 19:34
 Operator : SY/AP
 Sample : J4624-12
 Misc : 6.31G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 E4445

Quant Time: Aug 24 07:09:11 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM082218S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 24 05:01:02 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	742342	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	793357	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	378355	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	316345	22.55	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.20%
7) Chloroethane-d5	2.89	69	239757	23.05	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	92.20%
10) 1,1-Dichloroethene-d2	4.02	63	324646	18.12	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	72.48%
20) 2-Butanone-d5	7.09	46	121325	42.49	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	84.98%
24) Chloroform-d	7.66	84	407228	24.71	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	98.84%
26) 1,2-Dichloroethane-d4	8.31	65	221998	24.79	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	99.16%
29) Benzene-d6	8.28	84	914571	22.41	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	89.64%
33) 1,2-Dichloropropane-d6	9.28	67	272110	22.69	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	90.76%
37) Toluene-d8	10.33	98	974215	22.54	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	90.16%
38) trans-1,3-Dichloropropene-	10.59	79	111329	21.58	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	86.32%
39) 2-Hexanone-d5	10.93	63	118220	39.80	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	79.60%
48) 1,1,2,2-Tetrachloroethane-	12.70	84	252509	20.96	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	83.84%
61) 1,2-Dichlorobenzene-d4	13.86	152	376553	24.78	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	99.12%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	32894	2.29 ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW082318\
Data File : VW004907.D
Acq On : 23 Aug 2018 19:34
Operator : SY/AP
Sample : J4624-12
Misc : 6.31G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
E4445

Quant Time: Aug 24 07:09:11 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM082218S.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 24 05:01:02 2018
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 2.29 ug/L
 RT: 4.92 min Scan# 547
 Delta R.T. -0.01 min
 Lab File: VW004907.D
 Acq: 23 Aug 2018 19:34

Instrument :
 MSVOA_W
 ClientSampleId :
 E4445

Tot Ion: 84 Resp: 32894
 Ion Ratio Lower Upper
 84 100
 49 118.6 83.8 155.6
 86 61.4 42.6 79.0

