

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW082318\
 Data File : VW004933.D
 Acq On : 24 Aug 2018 13:52
 Operator : SY/AP
 Sample : J4628-09
 Misc : 6.39G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DB3F4

Quant Time: Aug 24 23:12:53 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM082218S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 24 08:18:56 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	633904	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.64	117	664729	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	282458	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	256720	21.43	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	85.72%
7) Chloroethane-d5	2.89	69	196612	22.13	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	88.52%
10) 1,1-Dichloroethene-d2	4.03	63	266104	17.39	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	69.56%
20) 2-Butanone-d5	7.09	46	114993	47.16	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	94.32%
24) Chloroform-d	7.66	84	337907	24.01	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	96.04%
26) 1,2-Dichloroethane-d4	8.32	65	193795	25.34	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	101.36%
29) Benzene-d6	8.29	84	733363	21.45	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	85.80%
33) 1,2-Dichloropropane-d6	9.28	67	223308	22.23	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	88.92%
37) Toluene-d8	10.33	98	763652	21.08	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	84.32%
38) trans-1,3-Dichloropropene-	10.59	79	91745	21.23	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	84.92%
39) 2-Hexanone-d5	10.93	63	111168	44.66	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	89.32%
48) 1,1,2,2-Tetrachloroethane-	12.70	84	222092	22.00	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	88.00%
61) 1,2-Dichlorobenzene-d4	13.87	152	271933	23.97	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	95.88%


Target Compounds					Ovalue
13) Acetone	4.15	43	25736	13.63 ug/L	76


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW082318\
Data File : VW004933.D
Acq On : 24 Aug 2018 13:52
Operator : SY/AP
Sample : J4628-09
Misc : 6.39G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DB3F4

Quant Time: Aug 24 23:12:53 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM082218S.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 24 08:18:56 2018
Response via : Initial Calibration





#13
 Acetone
 Concen: 13.63 ug/L
 RT: 4.15 min Scan# 420
 Delta R.T. 0.01 min
 Lab File: VW004933.D
 Acq: 24 Aug 2018 13:52

Instrument :
 MSVOA_W
 ClientSampleId :
 DB3F4

Tot Ion: 43 Resp: 25736
 Ion Ratio Lower Upper
 43 100
 58 20.7 0.0 69.4

