

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082323\
 Data File : VW026823.D
 Acq On : 23 Aug 2023 17:44
 Operator : SY/MD
 Sample : 04108-21
 Misc : 4.08g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DCHP7

Quant Time: Aug 24 01:44:15 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081023SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Aug 23 01:29:10 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	722898	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	704701	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	352454	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	123034	10.353	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	41.400%		
7) Chloroethane-d5	2.893	69	118394	13.398	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	53.600%		
11) 1,1-Dichloroethene-d2	4.021	65	77962	13.339	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	53.360%		
21) 2-Butanone-d5	7.075	46	115096	33.697	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	67.400%		
24) Chloroform-d	7.648	84	459473	18.938	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	75.760%		
26) 1,2-Dichloroethane-d4	8.307	65	256569	19.162	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	76.640%		
32) Benzene-d6	8.270	84	871671	17.948	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	71.800%		
36) 1,2-Dichloropropane-d6	9.270	67	284893	18.832	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	75.320%		
41) Toluene-d8	10.325	98	754467	18.097	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	72.400%		
43) trans-1,3-Dichloroprop...	10.575	79	110483	17.688	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	70.760%		
47) 2-Hexanone-d5	10.922	63	57859	36.398	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	72.800%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	233322	19.529	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	78.120%		
66) 1,2-Dichlorobenzene-d4	13.848	152	271674	21.535	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	86.160%		
Target Compounds						Qvalue
16) Methylene chloride	4.929	84	96305	6.887	ug/L	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082323\
Data File : VW026823.D
Acq On : 23 Aug 2023 17:44
Operator : SY/MD
Sample : 04108-21
Misc : 4.08g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DCHP7

Quant Time: Aug 24 01:44:15 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081023SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Aug 23 01:29:10 2023
Response via : Initial Calibration

