

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW082420\
 Data File : VW016329.D
 Acq On : 24 Aug 2020 14:42
 Operator : SY/VA
 Sample : L3782-04
 Misc : 6.80G/10ML/MSVOA W/SOIL
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BFSK1

Quant Time: Aug 25 15:17:45 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM082420S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Aug 25 15:01:07 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	343410	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	296561	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	105270	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	54744	14.93	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	59.72%
7) Chloroethane-d5	2.89	69	46531	16.72	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	66.88%
10) 1,1-Dichloroethene-d2	4.01	63	103974	11.94	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	47.76%
20) 2-Butanone-d5	7.07	46	36698	35.19	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	70.38%
24) Chloroform-d	7.65	84	166529	18.60	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	74.40%
26) 1,2-Dichloroethane-d4	8.31	65	84820	18.38	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	73.52%
29) Benzene-d6	8.27	84	318035	19.21	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	76.84%
33) 1,2-Dichloropropane-d6	9.27	67	93316	20.37	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	81.48%
37) Toluene-d8	10.33	98	275430	17.63	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	70.52%
38) trans-1,3-Dichloropropene-	10.58	79	39907	18.05	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	72.20%
39) 2-Hexanone-d5	10.93	63	30631	41.73	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	83.46%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	72487	19.01	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	76.04%
61) 1,2-Dichlorobenzene-d4	13.85	152	79562	19.71	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	78.84%

Target Compounds					Ovalue
16) Methylene chloride	4.92	84	27922	4.398 ug/L	94
47) Tetrachloroethene	10.87	164	49721	13.091 ug/L	95
54) m,p-Xylene	11.83	106	3958	0.484 ug/L	70

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW082420\
Data File : VW016329.D
Acq On : 24 Aug 2020 14:42
Operator : SY/VA
Sample : L3782-04
Misc : 6.80G/10ML/MSVOA W/SOIL
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BFSK1

Quant Time: Aug 25 15:17:45 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM082420S.M
Quant Title : VOC Analysis
QLast Update : Tue Aug 25 15:01:07 2020
Response via : Initial Calibration

