

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW082420\
 Data File : VW016335.D
 Acq On : 24 Aug 2020 17:05
 Operator : SY/VA
 Sample : VIBLK01
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK01

Quant Time: Aug 25 05:49:42 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM082420S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Aug 25 05:29:05 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	282374	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	269633	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	122797	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	55597	18.44	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	73.76%
7) Chloroethane-d5	2.89	69	42664	18.64	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	74.56%
10) 1,1-Dichloroethene-d2	4.01	63	103479	14.45	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	57.80%
20) 2-Butanone-d5	7.08	46	46705	54.47	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	108.94%
24) Chloroform-d	7.65	84	155991	21.19	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	84.76%
26) 1,2-Dichloroethane-d4	8.31	65	90707	23.91	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	95.64%
29) Benzene-d6	8.27	84	316505	21.02	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	84.08%
33) 1,2-Dichloropropane-d6	9.27	67	90128	21.64	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	86.56%
37) Toluene-d8	10.32	98	294871	20.76	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	83.04%
38) trans-1,3-Dichloropropene-	10.58	79	43101	21.44	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	85.76%
39) 2-Hexanone-d5	10.93	63	35312	52.91	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	105.82%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	90551	26.12	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	104.48%
61) 1,2-Dichlorobenzene-d4	13.85	152	109957	23.35	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	93.40%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	24183	4.633 ug/L	96




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW082420\
Data File : VW016335.D
Acq On : 24 Aug 2020 17:05
Operator : SY/VA
Sample : VIBLK01
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK01

Quant Time: Aug 25 05:49:42 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM082420S.M
Quant Title : VOC Analysis
QLast Update : Tue Aug 25 05:29:05 2020
Response via : Initial Calibration





#16
Methylene chloride
Concen: 4.633 ug/L
RT: 4.92 min Scan# 494
Delta R.T. -0.00 min
Lab File: VW016335.D
Acq: 24 Aug 2020 17:05

Instrument :
MSVOA_W
ClientSampleId :
VIBLK01

Tot Ion: 84 Resp: 24183

Ion	Ratio	Lower	Upper
84	100		
49	101.7	75.3	139.9
86	61.8	43.3	80.3

