

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW082420\
 Data File : VW016336.D
 Acq On : 24 Aug 2020 17:29
 Operator : SY/VA
 Sample : L3789-10
 Misc : 5.06G/10ML/MSVOA W/SOIL
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BFWQ7

Quant Time: Aug 25 06:06:04 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM082420S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Aug 25 05:29:05 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	343055	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	322242	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	139541	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	53128	14.50	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	58.00%
7) Chloroethane-d5	2.89	69	46097	16.58	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	66.32%
10) 1,1-Dichloroethene-d2	4.01	63	102324	11.76	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	47.04%
20) 2-Butanone-d5	7.07	46	45342	43.53	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	87.06%
24) Chloroform-d	7.65	84	177975	19.90	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	79.60%
26) 1,2-Dichloroethane-d4	8.31	65	93237	20.23	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	80.92%
29) Benzene-d6	8.27	84	325567	18.10	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	72.40%
33) 1,2-Dichloropropane-d6	9.27	67	97503	19.59	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	78.36%
37) Toluene-d8	10.32	98	290672	17.13	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	68.52%
38) trans-1,3-Dichloropropene-	10.58	79	43617	18.15	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	72.60%
39) 2-Hexanone-d5	10.93	63	39413	49.42	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	98.84%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	89759	21.66	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	86.64%
61) 1,2-Dichlorobenzene-d4	13.85	152	110580	20.67	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	82.68%


Target Compounds					Ovalue
16) Methylene chloride	4.91	84	31879	5.027 ug/L	98
47) Tetrachloroethene	10.87	164	61835	14.983 ug/L	88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW082420\
Data File : VW016336.D
Acq On : 24 Aug 2020 17:29
Operator : SY/VA
Sample : L3789-10
Misc : 5.06G/10ML/MSVOA W/SOIL
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BFWQ7

Quant Time: Aug 25 06:06:04 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM082420S.M
Quant Title : VOC Analysis
QLast Update : Tue Aug 25 05:29:05 2020
Response via : Initial Calibration





#16

Methvlene chloride

Concen: 5.027 ug/L

RT: 4.91 min Scan# 493

Delta R.T. -0.01 min

Lab File: VW016336.D

Acq: 24 Aug 2020 17:29

Instrument :

MSVOA_W

ClientSampled :

BFWQ7





Tot Ion: 84 Resp: 31879

Ion Ratio Lower Upper

84 100

49 109.2 75.3 139.9

86 63.4 43.3 80.3



#47

Tetrachloroethene

Concen: 14.983 ug/L

RT: 10.87 min Scan# 1470

Delta R.T. -0.00 min

Lab File: VW016336.D

Acq: 24 Aug 2020 17:29

Tgt Ion: 164 Resp: 61835

Ion Ratio Lower Upper

164 100

129 85.4 71.5 132.7

131 89.4 67.4 125.2

166 118.8 92.5 171.9

