

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082422\
 Data File : VW024327.D
 Acq On : 24 Aug 2022 17:25
 Operator : SY/VA
 Sample : N4322-01RE
 Misc : 5.64g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EY163RE

Manual Integrations
 APPROVED

Reviewed By : Semsettin Yesilyurt 08/25/2022
 Supervised By : Mahesh Dadoda 08/25/2022

Quant Time: Aug 25 01:33:58 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080422SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Aug 25 01:31:24 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	245373	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	199378	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	44833	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.343	65	112583	21.951	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	87.800%	
7) Chloroethane-d5	2.873	69	94455	29.563	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	118.240%	
11) 1,1-Dichloroethene-d2	4.007	63	72291m	12.368	ug/L	0.00
Spiked Amount	25.000	Range 45 - 110	Recovery	=	49.480%	
21) 2-Butanone-d5	7.080	46	48573	50.904	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	101.800%	
24) Chloroform-d	7.647	84	159469	21.479	ug/L	0.00
Spiked Amount	25.000	Range 40 - 150	Recovery	=	85.920%	
26) 1,2-Dichloroethane-d4	8.299	65	97558	23.668	ug/L	0.00
Spiked Amount	25.000	Range 70 - 130	Recovery	=	94.680%	
32) Benzene-d6	8.269	84	271638	23.101	ug/L	0.00
Spiked Amount	25.000	Range 20 - 135	Recovery	=	92.400%	
36) 1,2-Dichloropropane-d6	9.274	67	94922	27.341	ug/L	0.00
Spiked Amount	25.000	Range 70 - 120	Recovery	=	109.360%	
41) Toluene-d8	10.323	98	205255	18.675	ug/L	0.00
Spiked Amount	25.000	Range 30 - 130	Recovery	=	74.720%	
43) trans-1,3-Dichloroprop...	10.579	79	29336	19.292	ug/L	0.00
Spiked Amount	25.000	Range 30 - 135	Recovery	=	77.160%	
47) 2-Hexanone-d5	10.921	63	35112	54.755	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	109.520%	
56) 1,1,2,2-Tetrachloroeth...	12.689	84	89693	26.628	ug/L	0.00
Spiked Amount	25.000	Range 45 - 120	Recovery	=	106.520%	
66) 1,2-Dichlorobenzene-d4	13.853	152	35265	21.495	ug/L	0.00
Spiked Amount	25.000	Range 75 - 120	Recovery	=	85.960%	
Target Compounds					Qvalue	
13) Acetone	4.123	43	17248	24.551	ug/L	88
14) Carbon disulfide	4.367	76	11740	1.244	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082422\
Data File : VW024327.D
Acq On : 24 Aug 2022 17:25
Operator : SY/VA
Sample : N4322-01RE
Misc : 5.64g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
EY163RE

Manual Integrations
APPROVED

Reviewed By : Semsettin Yesilyurt 08/25/2022
Supervised By : Mahesh Dadoda 08/25/2022


Quant Time: Aug 25 01:33:58 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080422SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Aug 25 01:31:24 2022
Response via : Initial Calibration





#13
Acetone
Concen: 24.551 ug/L
RT: 4.123 min Scan# 364
Delta R.T. 0.000 min
Lab File: VW024327.D
Acq: 24 Aug 2022 17:25




Instrument :
MSVOA_W
Client Sample Id :
EY163RE



Tgt Ion: 43 Resp: 17248
Ion Ratio Lower Upper
43 100
58 21.0 0.0 31.8

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 08/25/2022
Supervised By :Mahesh Dadoda 08/25/2022



#14
Carbon disulfide
Concen: 1.244 ug/L
RT: 4.367 min Scan# 404
Delta R.T. 0.000 min
Lab File: VW024327.D
Acq: 24 Aug 2022 17:25

Tgt Ion: 76 Resp: 11740
Ion Ratio Lower Upper
76 100
78 9.3 7.9 11.9

