

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082422\
 Data File : VW024332.D
 Acq On : 24 Aug 2022 19:29
 Operator : SY/VA
 Sample : N4344-18
 Misc : 5.04g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DBVR5

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080422SMA.M
 Title : SFAM01.0

Signal : TIC: VW024332.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	2.062	24	26	27	rBV2	2447	1893	0.05%	0.018%
2	2.081	27	29	32	rVV4	2754	2794	0.07%	0.026%
3	2.337	67	71	81	rVB	94251	153634	3.66%	1.437%
4	3.824	314	315	317	rBV2	2450	2062	0.05%	0.019%
5	4.007	333	345	358	rBV	55536	178315	4.25%	1.668%
6	4.349	398	401	402	rBV3	2241	2390	0.06%	0.022%
7	4.647	449	450	453	rVB3	1966	1100	0.03%	0.010%
8	4.727	461	463	464	rBV2	1967	1317	0.03%	0.012%
9	4.824	477	479	483	rBV4	2033	2669	0.06%	0.025%
10	4.916	486	494	503	rVV2	14831	45998	1.10%	0.430%
11	5.513	590	592	593	rBV2	1507	1061	0.03%	0.010%
12	6.104	687	689	691	rBV3	2194	1042	0.02%	0.010%
13	6.135	691	694	695	rBV3	1437	1411	0.03%	0.013%
14	6.330	723	726	727	rBV3	2270	2077	0.05%	0.019%
15	6.421	739	741	743	rBV3	1601	1530	0.04%	0.014%
16	6.464	746	748	749	rBV2	2049	1502	0.04%	0.014%
17	6.562	761	764	768	rBV6	1477	2918	0.07%	0.027%
18	6.677	779	783	789	rBV8	1968	3147	0.07%	0.029%
19	7.019	837	839	840	rBV	1427	1465	0.03%	0.014%
20	7.080	843	849	856	rBV	31278	87356	2.08%	0.817%
21	7.293	880	884	885	rBV4	2301	2468	0.06%	0.023%
22	7.415	902	904	908	rBV5	1879	2342	0.06%	0.022%
23	7.506	918	919	923	rVB4	2037	1695	0.04%	0.016%
24	7.647	933	942	952	rVB	141945	340066	8.10%	3.180%
25	8.055	1007	1009	1010	rBV2	1826	1072	0.03%	0.010%
26	8.275	1033	1045	1059	rBV2	247779	808018	19.25%	7.557%
27	8.555	1089	1091	1095	rBV5	2511	3571	0.09%	0.033%
28	8.622	1100	1102	1104	rVB3	2352	1631	0.04%	0.015%
29	8.683	1111	1112	1115	rVB3	1600	1195	0.03%	0.011%
30	8.842	1130	1138	1147	rBV	321458	613642	14.62%	5.739%
31	9.207	1195	1198	1201	rBV5	2862	3317	0.08%	0.031%
32	9.274	1201	1209	1217	rBV	188327	387213	9.22%	3.621%
33	9.390	1226	1228	1230	rVV3	2253	1370	0.03%	0.013%
34	9.433	1233	1235	1241	rBV7	2443	3491	0.08%	0.033%
35	9.720	1280	1282	1284	rBV3	1552	1110	0.03%	0.010%
36	9.939	1316	1318	1323	rBV6	2400	3570	0.09%	0.033%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082422\
 Data File : VW024332.D
 Acq On : 24 Aug 2022 19:29
 Operator : SY/VA
 Sample : N4344-18
 Misc : 5.04g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DBVR5

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080422SMA.M
 Title : SFAM01.0

37	9.982	1323	1325	1326	rBV2	2038	1548	0.04%	0.014%
38	10.037	1327	1334	1340	rVB	83806	154775	3.69%	1.447%
39	10.323	1374	1381	1390	rVV	321578	560536	13.35%	5.242%
40	10.573	1417	1422	1429	rVB	59427	104526	2.49%	0.978%
41	10.701	1438	1443	1447	rBV3	7397	13587	0.32%	0.127%
42	10.860	1460	1469	1475	rBV	2527697	4198136	100.00%	39.261%
43	10.927	1475	1480	1489	rVB	153658	271357	6.46%	2.538%
44	11.061	1497	1502	1509	rBV2	18685	32517	0.77%	0.304%
45	11.372	1551	1553	1556	rBV4	1411	1979	0.05%	0.019%
46	11.567	1583	1585	1586	rVV2	1817	1228	0.03%	0.011%
47	11.628	1589	1595	1606	rVB	496673	832073	19.82%	7.782%
48	11.829	1625	1628	1629	rBV3	2282	1681	0.04%	0.016%
49	11.926	1639	1644	1647	rBV7	3223	6320	0.15%	0.059%
50	12.103	1669	1673	1674	rBV4	1705	1986	0.05%	0.019%
51	12.243	1694	1696	1697	rBV2	1493	995	0.02%	0.009%
52	12.280	1700	1702	1706	rVB5	2234	1901	0.05%	0.018%
53	12.323	1706	1709	1710	rBV3	1499	1266	0.03%	0.012%
54	12.426	1722	1726	1728	rVB5	2302	2974	0.07%	0.028%
55	12.457	1728	1731	1732	rBV3	1132	1184	0.03%	0.011%
56	12.524	1741	1742	1745	rVB3	1337	1193	0.03%	0.011%
57	12.603	1751	1755	1760	rVB7	7327	12677	0.30%	0.119%
58	12.688	1762	1769	1776	rVV	217395	359113	8.55%	3.358%
59	12.847	1793	1795	1798	rBV4	1059	1321	0.03%	0.012%
60	12.871	1798	1799	1804	rVV5	1828	2914	0.07%	0.027%
61	12.926	1806	1808	1815	rVB8	2648	4926	0.12%	0.046%
62	13.066	1829	1831	1834	rVB4	1867	2287	0.05%	0.021%
63	13.097	1834	1836	1837	rBV2	1366	1003	0.02%	0.009%
64	13.188	1849	1851	1852	rBV2	2578	2105	0.05%	0.020%
65	13.353	1876	1878	1881	rBV4	1420	1491	0.04%	0.014%
66	13.402	1881	1886	1892	rVV10	4830	9837	0.23%	0.092%
67	13.554	1904	1911	1917	rBV	479127	762631	18.17%	7.132%
68	13.725	1937	1939	1940	rBV2	1503	1006	0.02%	0.009%
69	13.853	1953	1960	1971	rVB	357513	594273	14.16%	5.558%
70	14.066	1993	1995	1997	rBV3	2764	2460	0.06%	0.023%
71	14.139	2004	2007	2008	rVB3	1718	1617	0.04%	0.015%
72	14.267	2026	2028	2030	rBV3	1677	1676	0.04%	0.016%
73	14.335	2031	2039	2044	rVV3	4150	11225	0.27%	0.105%
74	14.402	2048	2050	2055	rVB6	2051	2860	0.07%	0.027%
75	14.450	2055	2058	2059	rBV3	1531	1595	0.04%	0.015%
76	14.597	2080	2082	2085	rBV4	1317	1433	0.03%	0.013%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082422\
 Data File : VW024332.D
 Acq On : 24 Aug 2022 19:29
 Operator : SY/VA
 Sample : N4344-18
 Misc : 5.04g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DBVR5

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080422SMA.M
 Title : SFAM01.0

77	14.670	2092	2094	2098	rBV5	1515	1687	0.04%	0.016%
78	14.713	2098	2101	2103	rBV4	2108	3356	0.08%	0.031%
79	14.822	2115	2119	2120	rBV4	1598	2061	0.05%	0.019%
80	14.871	2125	2127	2129	rBV3	1533	1327	0.03%	0.012%
81	14.908	2132	2133	2135	rVB2	2587	1541	0.04%	0.014%
82	14.932	2135	2137	2138	rBV2	958	1016	0.02%	0.010%
83	15.017	2149	2151	2152	rBV2	1178	1133	0.03%	0.011%
84	15.084	2160	2162	2164	rBV3	1528	1413	0.03%	0.013%
85	15.304	2196	2198	2201	rBV3	1358	1680	0.04%	0.016%
86	15.353	2204	2206	2209	rVV4	1778	1981	0.05%	0.019%
87	15.426	2215	2218	2223	rVB4	7676	12154	0.29%	0.114%
88	15.511	2229	2232	2233	rBV3	2584	2284	0.05%	0.021%
89	15.621	2248	2250	2252	rBV3	2114	1752	0.04%	0.016%
90	15.664	2255	2257	2259	rBV3	1607	1680	0.04%	0.016%
91	15.731	2264	2268	2269	rBV4	1638	2251	0.05%	0.021%
92	15.822	2281	2283	2284	rBV2	1673	1141	0.03%	0.011%
93	15.914	2296	2298	2299	rBV2	1583	1401	0.03%	0.013%
94	16.096	2326	2328	2330	rVB3	1791	1477	0.04%	0.014%
95	16.206	2344	2346	2347	rBV2	2296	1411	0.03%	0.013%
96	16.243	2350	2352	2357	rVV6	1559	2377	0.06%	0.022%
97	16.395	2374	2377	2379	rBV4	1565	1782	0.04%	0.017%
98	16.420	2379	2381	2385	rVB5	1690	1545	0.04%	0.014%
99	16.450	2385	2386	2388	rBV2	1604	1696	0.04%	0.016%
100	16.505	2393	2395	2396	rBV2	1750	1151	0.03%	0.011%

Sum of corrected areas: 10692961

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082422\
Data File : VW024332.D
Acq On : 24 Aug 2022 19:29
Operator : SY/VA
Sample : N4344-18
Misc : 5.04g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DBVR5

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080422SMA.M
Quant Title : SFAM01.0

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082422\
Data File : VW024332.D
Acq On : 24 Aug 2022 19:29
Operator : SY/VA
Sample : N4344-18
Misc : 5.04g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DBVR5

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080422SMA.M
Quant Title : SFAM01.0

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc