

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082423\
 Data File : VW026872.D
 Acq On : 24 Aug 2023 23:41
 Operator : SY/MD
 Sample : 04113-14
 Misc : 7.53g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EZYJ0

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 08/25/2023
 Supervised By :Mahesh Dadoda 08/26/2023

Quant Time: Aug 25 05:23:18 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081023SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Aug 25 05:00:16 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	499894	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	395030	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	138459	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	85299	10.380	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	41.520%		
7) Chloroethane-d5	2.899	69	82626	13.522	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	54.080%		
11) 1,1-Dichloroethene-d2	4.027	65	50783	12.565	ug/L	0.01
Spiked Amount 25.000	Range 45 - 110		Recovery =	50.240%		
21) 2-Butanone-d5	7.075	46	45467	19.250	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	38.500%		
24) Chloroform-d	7.648	84	309857	18.468	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	73.880%		
26) 1,2-Dichloroethane-d4	8.307	65	187037m	20.201	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	80.800%		
32) Benzene-d6	8.276	84	534355	19.627	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	78.520%		
36) 1,2-Dichloropropane-d6	9.276	67	165548	19.521	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	78.080%		
41) Toluene-d8	10.319	98	429817	18.392	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	73.560%		
43) trans-1,3-Dichloroprop...	10.575	79	48877	13.959	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	55.840%		
47) 2-Hexanone-d5	10.922	63	23406	26.267	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	52.540%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	127383	19.020	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	76.080%		
66) 1,2-Dichlorobenzene-d4	13.848	152	103883	20.962	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	83.840%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082423\
Data File : VW026872.D
Acq On : 24 Aug 2023 23:41
Operator : SY/MD
Sample : 04113-14
Misc : 7.53g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EZYJ0

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 08/25/2023
Supervised By :Mahesh Dadoda 08/26/2023

Quant Time: Aug 25 05:23:18 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081023SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Aug 25 05:00:16 2023
Response via : Initial Calibration

