

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082423\
 Data File : VW026862.D
 Acq On : 24 Aug 2023 19:41
 Operator : SY/MD
 Sample : VW0824SBL02
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK558

Quant Time: Aug 25 05:00:44 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081023SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Aug 25 05:00:16 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	295055	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	290576	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	160963	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	88935	18.336	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	73.360%
7) Chloroethane-d5	2.899	69	74303	20.601	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.400%
11) 1,1-Dichloroethene-d2	4.027	65	49999	20.959	ug/L	0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	83.840%
21) 2-Butanone-d5	7.081	46	56113	40.251	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	80.500%
24) Chloroform-d	7.648	84	227273	22.950	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.800%
26) 1,2-Dichloroethane-d4	8.307	65	146906	26.882	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	107.520%
32) Benzene-d6	8.276	84	432755	21.609	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	86.440%
36) 1,2-Dichloropropane-d6	9.276	67	123629	19.819	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	79.280%
41) Toluene-d8	10.325	98	383244	22.294	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	89.160%
43) trans-1,3-Dichloroprop...	10.575	79	57627	22.374	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	89.480%
47) 2-Hexanone-d5	10.922	63	30086	45.900	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	91.800%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	106918	21.703	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	86.800%
66) 1,2-Dichlorobenzene-d4	13.854	152	143755	24.952	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	99.800%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082423\
Data File : VW026862.D
Acq On : 24 Aug 2023 19:41
Operator : SY/MD
Sample : VW0824SBL02
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK558

Quant Time: Aug 25 05:00:44 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081023SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Aug 25 05:00:16 2023
Response via : Initial Calibration

