

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW082620\
 Data File : VW016357.D
 Acq On : 26 Aug 2020 11:16
 Operator : SY/VA
 Sample : VIBLK05
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK05

Quant Time: Aug 27 03:23:16 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM082420S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Aug 27 02:40:32 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	267600	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	249793	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	118774	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	57157	20.00	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	80.00%
7) Chloroethane-d5	2.89	69	44839	20.67	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.68%
10) 1,1-Dichloroethene-d2	4.02	63	106116	15.64	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	62.56%
20) 2-Butanone-d5	7.08	46	36172	44.51	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	89.02%
24) Chloroform-d	7.65	84	156490	22.43	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	89.72%
26) 1,2-Dichloroethane-d4	8.31	65	84510	23.51	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	94.04%
29) Benzene-d6	8.28	84	306947	22.01	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.04%
33) 1,2-Dichloropropane-d6	9.27	67	86241	22.35	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	89.40%
37) Toluene-d8	10.33	98	291687	22.17	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	88.68%
38) trans-1,3-Dichloropropene-	10.58	79	40323	21.65	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	86.60%
39) 2-Hexanone-d5	10.93	63	24710	39.97	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	79.94%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	77203	24.04	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	96.16%
61) 1,2-Dichlorobenzene-d4	13.85	152	105703	23.21	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	92.84%

Target Compounds					Ovalue
16) Methylene chloride	4.92	84	11788	2.383 ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW082620\
Data File : VW016357.D
Acq On : 26 Aug 2020 11:16
Operator : SY/VA
Sample : VIBLK05
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK05

Quant Time: Aug 27 03:23:16 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM082420S.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 27 02:40:32 2020
Response via : Initial Calibration

