

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082622\
 Data File : VW024430.D
 Acq On : 28 Aug 2022 04:11
 Operator : SY/VA
 Sample : N4346-05
 Misc : 5.50g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Aug 29 05:02:44 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Mon Aug 29 04:56:06 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	176564	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	173396	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	75295	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.343	65	149966	30.812	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery = 123.240%			
7) Chloroethane-d5	2.873	69	98120	26.907	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery = 107.640%			
11) 1,1-Dichloroethene-d2	4.001	63	76376	18.094	ug/L	-0.01
Spiked Amount 25.000	Range 45 - 110		Recovery = 72.360%			
21) 2-Butanone-d5	7.208	46	205	0.229	ug/L	0.13
Spiked Amount 50.000	Range 20 - 135		Recovery = 0.460%#			
24) Chloroform-d	7.647	84	111643	19.668	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery = 78.680%			
26) 1,2-Dichloroethane-d4	8.305	65	69066	20.064	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery = 80.240%			
32) Benzene-d6	8.269	84	208717	21.009	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery = 84.040%			
36) 1,2-Dichloropropane-d6	9.268	67	63257	20.474	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery = 81.880%			
41) Toluene-d8	10.323	98	194744	20.617	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery = 82.480%			
43) trans-1,3-Dichloroprop...	10.579	79	23379	16.169	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery = 64.680%			
47) 2-Hexanone-d5	10.921	63	29069	42.043	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery = 84.080%			
56) 1,1,2,2-Tetrachloroeth...	12.689	84	63511	18.156	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery = 72.640%			
66) 1,2-Dichlorobenzene-d4	13.853	152	59719	21.062	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery = 84.240%			
Target Compounds						
					Qvalue	
13) Acetone	4.117	43	2239	4.185	ug/L	87
46) Tetrachloroethene	10.860	164	181430	82.102	ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082622\
Data File : VW024430.D
Acq On : 28 Aug 2022 04:11
Operator : SY/VA
Sample : N4346-05
Misc : 5.50g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Aug 29 05:02:44 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082622SMA.M
Quant Title : SFAM01.0
QLast Update : Mon Aug 29 04:56:06 2022
Response via : Initial Calibration





Acetone

Concen: 4.185 ug/L

RT: 4.117 min Scan# 13

Delta R.T. -0.000 min

Lab File: VW024430.D

Acq: 28 Aug 2022 04:11

Instrument :

MSVOA_W





ClientSampleId :

Tgt Ion: 43 Resp: 2239

Ion Ratio Lower Upper

43 100

58 22.1 0.0 58.4



Tetrachloroethene

Concen: 82.102 ug/L

RT: 10.860 min Scan# 1469

Delta R.T. 0.000 min

Lab File: VW024430.D

Acq: 28 Aug 2022 04:11

Tgt Ion:164 Resp: 181430

Ion Ratio Lower Upper

164 100

129 98.5 72.9 135.3

131 97.5 63.7 118.3

166 140.6 86.2 160.0

