




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082622\
 Data File : VW024383.D
 Acq On : 27 Aug 2022 06:34
 Operator : SY/VA
 Sample : N4345-07
 Misc : 6.08g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DBVS7

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 08/30/2022
 Supervised By :Mahesh Dadoda 08/30/2022

Quant Time: Aug 27 07:29:41 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Aug 27 02:57:08 2022
 Response via : Initial Calibration



TIC: VW024383.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.147min (-0.158) 0.04 ug/L

response 143

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	51.10	44.06
51.00	96.50	85.31
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082622\
 Data File : VW024383.D
 Acq On : 27 Aug 2022 06:34
 Operator : SY/VA
 Sample : N4345-07
 Misc : 6.08g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DBVS7

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 08/30/2022
 Supervised By :Mahesh Dadoda 08/30/2022

Quant Time: Aug 27 07:29:41 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Aug 27 02:57:08 2022
 Response via : Initial Calibration



TIC: VW024383.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.305min (+ 0.000) 15.81 ug/L m

response 63618

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	51.10	0.10#
51.00	96.50	0.19#
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082622\
 Data File : VW024383.D
 Acq On : 27 Aug 2022 06:34
 Operator : SY/VA
 Sample : N4345-07
 Misc : 6.08g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DBVS7

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 08/30/2022
 Supervised By :Mahesh Dadoda 08/30/2022

Quant Time: Aug 27 07:29:41 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Aug 27 02:57:08 2022
 Response via : Initial Calibration



TIC: VW024383.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.305min (+ 0.000) 15.81 ug/L m

response 63618

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	51.10	0.10#
51.00	96.50	0.19#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082622\
 Data File : VW024383.D
 Acq On : 27 Aug 2022 06:34
 Operator : SY/VA
 Sample : N4345-07
 Misc : 6.08g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DBVS7

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 08/30/2022
 Supervised By :Mahesh Dadoda 08/30/2022

Quant Time: Aug 27 07:29:41 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Aug 27 02:57:08 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	206442	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	194321	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	81483	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.343	65	119241	20.954	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	83.800%	
7) Chloroethane-d5	2.873	69	85432	20.037	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	80.160%	
11) 1,1-Dichloroethene-d2	4.007	63	72251	14.639	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110	Recovery	=	58.560%	
21) 2-Butanone-d5	7.074	46	30056	28.675	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	57.340%	
24) Chloroform-d	7.641	84	105813	15.943	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	63.760%	
26) 1,2-Dichloroethane-d4	8.305	65	63618m	15.806	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	63.240%#	
32) Benzene-d6	8.269	84	212520	19.088	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	76.360%	
36) 1,2-Dichloropropane-d6	9.275	67	63426	18.318	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	73.280%	
41) Toluene-d8	10.323	98	200203	18.913	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	75.640%	
43) trans-1,3-Dichloroprop...	10.573	79	20282	12.517	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	50.080%	
47) 2-Hexanone-d5	10.921	63	22276	28.749	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	57.500%	
56) 1,1,2,2-Tetrachloroeth...	12.689	84	54452	13.890	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	55.560%	
66) 1,2-Dichlorobenzene-d4	13.853	152	56379	18.374	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	73.480%#	
Target Compounds						
					Qvalue	
13) Acetone	4.135	43	6651	10.633	ug/L	98
34) Trichloroethene	9.092	95	3776	1.184	ug/L	97
46) Tetrachloroethene	10.860	164	297755	120.233	ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082622\
Data File : VW024383.D
Acq On : 27 Aug 2022 06:34
Operator : SY/VA
Sample : N4345-07
Misc : 6.08g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DBVS7

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 08/30/2022
Supervised By :Mahesh Dadoda 08/30/2022

Quant Time: Aug 27 07:29:41 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082622SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Aug 27 02:57:08 2022
Response via : Initial Calibration

