




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082622\
 Data File : VW024427.D
 Acq On : 28 Aug 2022 02:58
 Operator : SY/VA
 Sample : N4346-02
 Misc : 6.01g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DBVU2

Manual IntegrationsAPPROVED

Quant Time: Aug 29 05:02:23 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Mon Aug 29 04:56:06 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 08/30/2022
 Supervised By :Mahesh Dadoda 08/30/2022



TIC: VW024427.D\data.ms

(13) Acetone (T)

4.123min (+ 0.006) 5.58 ug/L

response 3173

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	29.20	7.91
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082622\
 Data File : VW024427.D
 Acq On : 28 Aug 2022 02:58
 Operator : SY/VA
 Sample : N4346-02
 Misc : 6.01g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DBVU2

Manual IntegrationsAPPROVED

Quant Time: Aug 29 05:02:23 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Mon Aug 29 04:56:06 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 08/30/2022
 Supervised By :Mahesh Dadoda 08/30/2022



TIC: VW024427.D\data.ms

(13) Acetone (T)

4.123min (+ 0.006) 8.31 ug/L m

response 4728

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	29.20	5.31
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082622\
 Data File : VW024427.D
 Acq On : 28 Aug 2022 02:58
 Operator : SY/VA
 Sample : N4346-02
 Misc : 6.01g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DBVU2

Manual IntegrationsAPPROVED

Quant Time: Aug 29 05:02:23 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Mon Aug 29 04:56:06 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 08/30/2022
 Supervised By :Mahesh Dadoda 08/30/2022

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	187821	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	189134	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	80417	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.343	65	128176	24.757	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	99.040%	
7) Chloroethane-d5	2.867	69	83002	21.397	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	85.600%	
11) 1,1-Dichloroethene-d2	4.007	63	74652	16.625	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110	Recovery	=	66.520%	
21) 2-Butanone-d5	7.074	46	41068	43.065	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	86.140%	
24) Chloroform-d	7.647	84	111108	18.401	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	73.600%	
26) 1,2-Dichloroethane-d4	8.305	65	70446	19.238	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	76.960%	
32) Benzene-d6	8.269	84	209921	19.372	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	77.480%	
36) 1,2-Dichloropropane-d6	9.275	67	64102	19.021	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	76.080%	
41) Toluene-d8	10.323	98	200362	19.447	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	77.800%	
43) trans-1,3-Dichloroprop...	10.573	79	23539	14.925	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	59.720%	
47) 2-Hexanone-d5	10.927	63	28606	37.931	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	75.860%	
56) 1,1,2,2-Tetrachloroeth...	12.689	84	64870	17.001	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	68.000%	
66) 1,2-Dichlorobenzene-d4	13.853	152	63811	21.071	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	84.280%	
Target Compounds						
13) Acetone	4.123	43	4728m	8.308	ug/L	
46) Tetrachloroethene	10.866	164	5299	2.198	ug/L	82

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082622\
Data File : VW024427.D
Acq On : 28 Aug 2022 02:58
Operator : SY/VA
Sample : N4346-02
Misc : 6.01g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DBVU2

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 08/30/2022
Supervised By :Mahesh Dadoda 08/30/2022

Quant Time: Aug 29 05:02:23 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082622SMA.M
Quant Title : SFAM01.0
QLast Update : Mon Aug 29 04:56:06 2022
Response via : Initial Calibration

